

CONTACT INFO

TABLE OF CONTENTS



DEPARTMENT

GENERAL ENQUIRIES
TECHNICAL ENQUIRIES
ACCOUNTS ENQUIRIES
SALES ENQUIRIES

MARKETING ENQUIRIES

E-MAIL

INFO@BULLBBQ.EU

AFTERSALES@BULLBBQ.EU

ACCOUNTS@BULLBBQ.EU

ORDERS@BULLBBQ.EU

MARKETINGTEAM@BULLBBQ.EU

PHONES

GENERAL ENQUIRIES +356 9979 2077 SERVICING ENQUIRIES +356 2279 2077



Bull Europe Limited Postal Address:

Unit 41 - Industrial Estate - San Gwann - SGN3000 - Malta

ABOUT BULL



BECOME A DEALER



BULL DEALER LOCATION



| CONTACT INFO | PAGE 2 |
|----------------------------|------------|
| TABLE OF CONTENTS | PAGE 3 |
| KNOW BULL | PAGE 4 |
| BULL EUROPE TIMELINE | PAGE 5 |
| WHY BULL? | PAGE 6-7 |
| BULL GRILLS | PAGE 8-25 |
| OVERVIEW | PAGE 9 |
| CARTS / BUILT-IN | PAGE 10-21 |
| GRILL ENHANCEMENTS | PAGE 22-23 |
| COVERS | PAGE 24-25 |
| BULL PIZZA OVENS | PAGE 26-31 |
| PIZZA OVENS | PAGE 27-30 |
| COVERS | PAGE 31 |
| COMPONENTS | PAGE 32-49 |
| OUTDOOR KITCHENS | PAGE 50-63 |
| OUTDOOR FIRE TABLES | PAGE 64 |
| OUTDOOR BARS | PAGE 65-66 |
| OUTDOOR KITCHEN FINISHES | PAGE 67-69 |
| OUTDOOR KITCHEN PORTOFOLIO | PAGE 70-83 |
| CARE AND MAINTANANCE | PAGE 84-85 |
| PROMOTIONAL ITEMS | PAGE 86 |
| NOTES | PAGE 87-89 |



KNOW BULL

BULL EUROPE TIMELINE

"Since installing a Bull barbeque at home, I have discovered what US-style grilling is all about. One of the Bull slogans is 'changing the way you barbeque' - it makes grilling faster and easier. The Bull philosophy for grilling is to cook with your guests and not for them. Personally, my favorite activity is gathering with my friends and family, having a laugh and eating together. With work taking up so much time in my life, I treasure those gatherings immensely. Plus, I make a mean pork hock with crackling!"



Bull Europe President, Sandro Zammit

KNOW QUALITY

Bull's award-winning grills are designed, engineered in California, and master-crafted to meet certifications from CSA and CE, which means anyone with a Bull grill can take comfort in knowing that they're cooking with the highest quality, premium grill on the market.

KNOW COMMITMENT

It's not enough to just say you're committed, Bull backs it up. From the 2mm thick 304 stainless steel used on every grill to the Lifetime Warranty* that covers fire boxes and cooking grates, Bull is committed to going the extra mile to provide you the ultimate outdoor cooking experience.

KNOW SERVICE

Bull provides a premium outdoor cooking experience that is manufactured with the highest quality materials. Bull maintains a complete in-house parts department with knowledgeable specialists available to answer any question imaginable. When you purchase a Bull Outdoor product, not only will you know it is made with expert precision, but you'll have Bull's dependable and responsive service department waiting to assist you.

Fact is, when you purchase a premium Bull grill, you're getting a commitment to the highest–quality product and reliable service in the market. Period. Our grills and components are built to last a lifetime and that's why we guarantee that your Bull grill will be the last one you ever purchase.

And that's exactly why we say ... **Know Bull.**

AGP Systems Ltd. becomes the first Bull dealer in Malta. Established since 1995 and having gathered extensive experience in design, installation and servicing of foodservice catering equipment, the Bull brand quickly made its way into the Maltese market. Bull Inc. were encouraged to invest in a European Distribution Project.

The two companies meet for the first time in Bull HQ, Rialto CA. An agreement was reached to set up a Distribution hub jointly, to serve the EMEA region. As Bull are renowned for their Deliverable Quality Outdoor Kitchens, the construction of these was undertaken by the manufacturing arm of the AGI Group in Malta, Zamco Caterware Ltd. (Est.1975). It's existing plant in Malta and experience in the industry, could guarantee that Bull Outdoor Kitchens produced would be up to the standard expected from the Bull brand.

Bull Europe was established.

m

0

ũ

4

0

0

(()

0

N

0

0

 Ω

0)

0

N

N

Ũ

The Bull Outdoor Kitchens Team in Malta manufactured its first Outdoor Kitchens. The Deliverable Outdoor Kitchen concept was a huge success, and a numerable standard and custom kitchens were installed in various locations in Malta. Bull Europe hosts the first group of candidate Authorised Dealers from Europe in Malta. Many Dealers sign up immediately.

Extensive changes were made to the CE grills and new components were developed by Bull for the EMEA markets. Bull Europe sets up at Spoga Gafa in Cologne for the first time. Bull was the only booth presenting the Plug & Play Outdoor Kitchen Concept. This gave the company a huge boost and helped the European Distribution Network grow very rapidly.

The Bull Team in Malta mastered the art of working with Solid Ceramic Large format tile known as Gres and clad entire Outdoor Kitchen Bases and Tops, giving Kitchens a fresh, contemporary European look.

EMEA Sales Doubled.

In Spoga Gafa 2018, Bull Europe amazed visitors with its contemporary European style finishes. Bull Europe's distribution network expanded to 25 countries with 11 distributors and over 80 dealers throughout the EMEA. Warehousing facilities in Malta increased to 1000 sq. mts Footprint.

The Bull Europe Team is enhanced with substantial investment in human resources on the manufacturing floor, logistics, sales, marketing, and after-sales service. The Outdoor Kitchen manufacturing facility is doubled in area to cope with the increasing demand.

Bull Europe continues to grow despite the global shipping crisis and pandemic. Bull Europe increases its presence in Europe and establishes a strong distribution network in the Middle East.

EMEA Sales Quadrupled From 2019.





RELIGIBULL

When you buy a grill, don't you think you should be able to use the whole thing? At Bull Outdoor, we think so. That's why, with the help of the engineering experts at California Polytechnic, we created the ReliaBULL technology.

THE AVERAGE GRILL:

Typical grills feature unpredictable heating across the surface.







WITH OUR RELIABULL TECHNOLOGY:

We have eliminated cold spots on your grill, making your outdoor grilling experience extraordinary.







This new technology improves heat distribution on your grill by 50%.

The ReliaBULL flame tamers create a more even grilling surface,
eliminating cold spots, so that you can use your entire grilling surface.

6

TAKE A CLOSE LOOK AT THE LAST GRILL YOU WILL EVER BUY



7



Bull is so confident in its fabulous line up of premium outdoor grills that Lifetime Warranties* come standard on all fire boxes, cooking grates and on all cast stainless steel burners.

With ten durable grill heads to choose from, Bull has the perfect grill just for you.

* Specific warranty details provided with each Bull product.






| | I | | | |
|---|--|--|--|--|
| BULL | 9=9 9 | 9=9 9 9 | 9=9 9 9 | |
| STANDARD FEATURES | STEER | OUTLAW | LONESTAR | ANGUS |
| Cooking Power | 13.2 kWh | 17.6 kWh | 17.6 kWh | 22 kWh |
| Burners | 3 - Welded S/Steel Bar Burners | 4 - Cast Iron Bar Burners | 4 - Welded S/Steel Bar Burners | 4 - Cast S/Steel Bar Burners |
| Rotisserie Kit | Optional #66000CE | Optional #46000CE | Optional #46000CE | ✓ |
| Cast Stainless Steel Side Burners | Optional #60010CE Side Kick Side Burner |
| 304 Stainless Steel Thickness | 2mm | 2mm | 2mm | 2mm |
| Solid Stainless Steel Grates | ✓ | ✓ | ✓ | ✓ |
| Lights | × | × | ✓ | ✓ |
| Lower Cooking Surface Upper Cooking Rack | 60cm x 49cm 60cm x 18cm | 76cm x 49cm 76cm x 18cm | 76cm x 49cm 76cm x 18cm | 76cm x 49cm 76cm x 18cm |
| BULL GRILLS | Cocce | Cal CHE S | C-C CLL C C | Coc L cess |
| STANDARD FEATURES | RENEGADE | BRAHMA | DIABLO | 7 BURNER |
| Cooking Power | 22 kWh | 26.4 kWh | 30.8 kWh | 30.8 kWh |
| Burners | 5 - Cast Iron Bar Burners | 5 - Cast S/Steel Bar Burners | 6 - Cast S/Steel Bar Burners | 4 - Cast S/Steel Bar Burners |
| Rotisserie Kit | Optional #56000CE | ✓ | ✓ | ✓ |
| Cast Stainless Steel Side Burners | Optional #60010CE Side Kick Side Burner | Optional #60010CE Side Kick Side Burner | Optional #60010CE Side Kick Side Burner | Built-in Cast S/Steel Double Side Burners |
| 304 Stainless Steel Thickness | 2 mm | 2 mm | 2 mm | 2 mm |
| Solid Stainless Steel Grates | ✓ | ✓ | ✓ | ✓ |
| Lights | | ✓ | ✓ | ✓ |
| Lower Cooking Surface Upper Cooking Rack | 97cm x 49cm 97cm x 18cm | 97cm x 49cm 97cm x 18cm | 115cm x 49cm 115cm x 18cm | 76cm x 49cm 76cm x 18cm |





BISON CHARCOAL GRILL

The Bison Charcoal Grill has been totally re-engineered for greater performance. The air vent system and gasket features allows for even greater temperature control with the ability to precisely regulate the oxygen flow into the firebox. The roasting hood is insulated to achieve greater temperature stability. Now you can set up the Bull Bison for slow and low cooking, or crank it up to get that steak house quality sear on your steaks and chops.



10

| Standard Features | | | | | |
|-------------------------|---------------------|--|--|--|--|
| | | | | | |
| Disan Cart | #88000 | | | | |
| Bison Cart | | | | | |
| | | | | | |
| D: D ::: 1 | #88787CE | | | | |
| Bison Built - In | | | | | |
| Cooking Power | Charcoal | | | | |
| Burners | × | | | | |
| Infrared Back Burner | × | | | | |
| Cast Stainless Steel | × | | | | |
| Side Burner | ^ | | | | |
| Piezo Igniter | × | | | | |
| Zinc Knobs | × | | | | |
| SS 304 Gauge | 3 mm | | | | |
| SS Dual Lined Hood | ✓ | | | | |
| Solid SS Grates | √ | | | | |
| Heavy Duty Thermometer | ✓ | | | | |
| Solid SS Warming Rack | ✓ | | | | |
| Rotisserie Kit | × | | | | |
| SS Grease Tray | × | | | | |
| SS Side Shelves | ✓ | | | | |
| Twin Lighting System | × | | | | |
| SS 304 Double Door Cart | × | | | | |
| SS 304 Door/Drawer Cart | × | | | | |
| Heavy Duty Castors | √ | | | | |
| CSA Certified | √ | | | | |
| CE Certified | 70 10 | | | | |
| Lower Cooking Surface | 76 x 49 cm | | | | |
| Upper Cooking Surface | 76 X 18 CM | | | | |
| Warranty Details | | | | | |
| Fire Box/Roasting Hood | 5 Years | | | | |
| Cooking Grates | Lifetime | | | | |
| Burners | × | | | | |
| Flame Tamers | × | | | | |
| Grill Packing Dime | nsions | | | | |
| Grill Carton Length | 87 cm | | | | |
| Grill Carton Width | 70 cm | | | | |
| Grill Carton Height | 73.5 cm | | | | |
| Grill Carton Cube | 0.45 M ³ | | | | |
| Grill Carton Weight | 55.00 Kg | | | | |
| Cart Packing Dime | | | | | |
| Cart Carton Length | 80 cm | | | | |
| Cart Carton Width | 53 cm | | | | |
| Cart Carton Height | 18 cm | | | | |
| Cart Carton Cube | 0.76 M ³ | | | | |
| Cart Carton Weight | 20.00 Kg | | | | |

BISON CHARCOAL CART



BISON CHARCOAL BUILT-IN



The Bison Grill is constructed of high quality 304 stainless steel, the Bison has an adjustable charcoal basket to set the level of direct heat when grilling. There is a distinct flavour you can only get when using charcoal and the Bison you can achieve that authentic backyard BBQ taste that will make you the grill master in your neighbourhood.



CARTS / BUILT-IN

Standard Features Plancha Grill Cart #73009CE-NG Requires #97021Cart Adaptor #97008CE-LPG Plancha Built-in #97009CE-NG Cooking Power 13.2 kWh 3-Welded S/ Burners Steel Bar Burners Infrared Back Burner × Optional #60010CE Cast Stainless Steel Side Burner Piezo Igniter Zinc Knobs SS 304 Gauge 1.6 mm SS Dual Lined Hood Chrome Plated Cast Iron Griddle Solid SS Grates Heavy Duty Thermometer Solid SS Warming Rack × Rotisserie Kit × SS Grease Tray \checkmark SS Side Shelves Twin Lighting System SS 304 Double Door Cart SS 304 Door/Drawer Cart Heavy Duty Castors CSA Certified \checkmark CE Certified Lower Cooking Surface 57 x 44cm Upper Cooking Surface **Warranty Details** Fire Box/Roasting Hood Lifetime Griddle 2 Years 5 Years Burners Flame Tamers × Grill Packing Dimensions Grill Carton Length 69 cm Grill Carton Width 65 cm Grill Carton Height 50 cm 0.23 m³ Grill Carton Cube Grill Carton Weight 63.00 Kg Cart Packing Dimensions Cart Carton Length 56 cm Cart Carton Width 58 cm Cart Carton Height 69 cm Cart Carton Cube 0.22 M³ Cart Carton Weight 28.00 Kg

PLANCHA CART





The Bull Commercial Style Stainless Steel Griddle is a perfect addition to your outdoor kitchen. A chromium plated cook top sits upon three stainless steel burners that pump out 13 kWh of cooking power. From fajitas to pancakes, the food preparation possibilities are virtually endless.

12

| Standard Features | |
|-------------------------|-------------------------------------|
| | |
| 04 | #69101CE-LPG |
| Steer Cart | #69102CE-NG |
| | |
| o. D. II. I | #69008CE-LPG |
| Steer Built - In | #69009CE-NG |
| Cooking Power | 13.2 kWh |
| Burners | 3-Welded S/ Steel Bar Burners |
| Infrared Back Burner | × |
| Cast Stainless Steel | Optional |
| Side Burner | #60010CE Side Burner |
| Piezo Igniter | ✓ |
| Zinc Knobs | ✓ |
| SS 304 Gauge | 2 mm |
| SS Dual Lined Hood | ✓ |
| Solid SS Grates | ✓ |
| Heavy Duty Thermometer | ✓ |
| Solid SS Warming Rack | ✓ |
| Rotisserie Kit | × |
| SS Grease Tray | ✓ |
| SS Side Shelves | ✓ |
| Twin Lighting System | × |
| SS 304 Double Door Cart | ✓ |
| SS 304 Door/Drawer Cart | × |
| Heavy Duty Castors | ✓ |
| CSA Certified | ✓ |
| CE Certified | ✓ |
| Lower Cooking Surface | 60 x 49 cm |
| Upper Cooking Surface | 60 x 18 cm |
| Warranty Details | |
| Fire Box/Roasting Hood | Lifetime |
| Cooking Grates | Lifetime |
| Burners | 5 Years |
| Flame Tamers | 5 Years |
| Grill Packing Dime | nsions |
| Grill Carton Length | 74 cm |
| Grill Carton Width | 66 cm |
| Grill Carton Height | 62 cm |
| Grill Carton Cube | 0.32 M ³ |
| Grill Carton Weight | 48.00 Kg |
| Cart Packing Dime | nsions |
| Cart Carton Length | 56 cm |
| Cart Carton Width | 58 cm |
| Cart Carton Height | 69 cm |
| Cart Carton Cube | 0.22 M ³ |
| Cart Carton Weight | 26.00 Kg |
| | |

STEER CART



STEER BUILT-IN



The Steer Grill Cart has doors in the front that allow easy access to your propane tank or other items you want to store. It also provides adequate food preparation space on s/steel shelves on either side of the grill.



CARTS / BUILT-IN

| Standard Features | |
|-------------------------------------|-------------------------------------|
| | |
| Outlaw Cart | #26001CE-LPG |
| Outlaw Cart | #26002CE-NG |
| | |
| Outlow Built In | #26038CE-LPG |
| Outlaw Built-In | #26039CE-NG |
| Cooking Power | 17.6 kWh |
| Burners | 4-Cast Iron Porcelain Coated |
| Infrared Back Burner | × |
| Cast Stainless Steel Side Burner | Optional #60010CE Side Burner |
| Piezo Igniter | ✓ |
| Zinc Knobs | ✓ |
| SS 304 Gauge | 2 mm |
| SS Dual Lined Hood | ✓ |
| Solid SS Grates | ✓ |
| Heavy Duty Thermometer | ✓ |
| Solid SS Warming Rack | ✓ |
| Rotisserie Kit | × |
| SS Grease Tray | √ |
| SS Side Shelves | ✓ |
| Twin Lighting System | * |
| SS 304 Double Door Cart | √ |
| SS 304 Door/Drawer Cart | * |
| Heavy Duty Castors | V |
| CSA Certified | V |
| CE Certified | 70 40 |
| Lower Cooking Surface | 76 x 49 cm |
| Upper Cooking Surface | 76 X 16 CIII |
| Warranty Details | |
| Fire Box/Roasting Hood | Lifetime |
| Cooking Grates | Lifetime |
| Burners | 2 Years |
| Flame Tamers | 5 Years |
| Grill Packing Dime | nsions |
| Grill Carton Length | 86 cm |
| Grill Carton Width | 66 cm |
| Grill Carton Height | 63 cm |
| Grill Carton Cube | 0.36 M ³ |
| Grill Carton Weight | 60.00 Kg |
| Cart Packing Dime | nsions |
| Cart Carton Length | 84 cm |
| Cart Carton Width | 58 cm |
| Cart Carton Height | 53 cm |
| Cart Carton Cube | 0.26 M ³ |
| Cart Carton Weight | 33.50 Kg |

OUTLAW CART





The 76cm Outlaw Cart is a wonderful gas grilling option for the value minded customer who does not want to give up massive cooking power. The cart offers good storage underneath the grill and stainless steel side shelves for food preparation.

14

| Standard Features | |
|---------------------------|------------------------------------|
| | |
| Lawastan Oant | #87001CE-LI |
| Lonestar Cart | #87002CE-N |
| | |
| | #87048CE-LI |
| Lonestar Built-In | #87049CE-N |
| Cooking Power-kWh | 17.6 kWh |
| Burners | 4-Welded S Steel Bar Burners |
| Infrared Back Burner | × |
| Cast Stainless Steel | Optional |
| Side Burner | #60010CE Side Burner |
| Piezo Igniter | ✓ |
| Zinc Knobs | ✓ |
| SS 304 Gauge | 2 mm |
| SS Dual Lined Hood | ✓ |
| Solid SS Grates | ✓ |
| Heavy Duty Thermometer | ✓ |
| Solid SS Warming Rack | ✓ |
| Rotisserie Kit | × |
| SS Grease Tray | ✓ |
| SS Side Shelves | ✓ |
| Twin Lighting System | ✓ |
| SS 304 Double Door Cart | ✓ |
| SS 304 Door/Drawer Cart | × |
| Heavy Duty Castors | √ |
| CSA Certified | √ |
| CE Certified | ✓ |
| Lower Cooking Surface | 76 x 49 cm |
| Upper Cooking Surface | 76 x 18 cm |
| Warranty Details | |
| Fire Box/Roasting Hood | Lifetime |
| Cooking Grates | Lifetime |
| Burners | 5 Years |
| Flame Tamers | 5 Years |
| Grill Packing Dime | nsions |
| Grill Carton Length | 86 cm |
| Grill Carton Width | 66 cm |
| Grill Carton Height | 63 cm |
| Grill Carton Cube | 0.36 M ³ |
| Grill Carton Weight | 58.00 Kg |
| Cart Packing Dime | nsions |
| Cart Carton Length | 84 cm |
| Cart Carton Width | 58 cm |
| Cart Carton Height | 53 cm |
| Cart Carton Cube | 0.26 M ³ |
| Cart Carton Weight | 33.50 Kg |

LONESTAR CART



LONESTAR BUILT-IN



This Grill is a 4-Burner Stainless Steel Gas Barbecue Grill. It has extra storage for a propane tank or other grilling necessities and its food prep areas on either side of the grill leave plenty of room to serve your favourite dishes.



CARTS / BUILT-IN

Standard Features Renegade Cart #32301CE-NG #32368CE-LPG Renegade Built-In #32369CE-NG Cooking Power Burners Porcelain Coated Infrared Back Burner × Cast Stainless Steel Ontional #60010CE Side Burner Side Burner Piezo laniter Zinc Knobs SS 304 Gauge 2 mm SS Dual Lined Hood Solid SS Grates Heavy Duty Thermometer Solid SS Warming Rack Rotisserie Kit × SS Grease Tray SS Side Shelves Twin Lighting System SS 304 Double Door Cart SS 304 Door/Drawer Cart Heavy Duty Castors CSA Certified CE Certified Lower Cooking Surface 97 x 49 cm Upper Cooking Surface 97 x 18 cm Warranty Details Fire Box/Roasting Hood Lifetime Cooking Grates Lifetime Burners 2 Years 5 Years Flame Tamers Grill Packing Dimensions Grill Carton Length Grill Carton Width 66 cm Grill Carton Height 62 cm Grill Carton Cube $0.44 \, \text{M}^3$ Grill Carton Weight 74.00 Kg Cart Packing Dimensions Cart Carton Length 103 cm Cart Carton Width Cart Carton Height 53 cm Cart Carton Cube $0.32 \, M^3$ Cart Carton Weight 37.65 Kg

RENEGADE CART







The 97cm Renegade Grill is a 5 burner 22 kHw stainless steel Grill Cart. This cart has plenty of room for grilling and plenty of storage under the grill for your propane tank and tools. It can also be easily moved to the ideal location in your backyard or patio.

16

CAST STAINLESS STEEL BURNER NEW BAFFLE SYSTEM



This Burner is the heart of our Premium Series Grills. It is made from 304 Grade Cast Stainless Steel. This heavy duty technology goes up to 4.4kWh.

Our Bar Burners use a Graduated Output System, with larger ports in the front and smaller ones towards the back. This keeps the temperature consistent by forcing more heat towards the front of the grill to match the heat at the back of the grill.

Inside the Bar Burners lies a Proprietary Baffle System that allows for greater gas flow control and balances the heat output along the entire grilling surface.

Our ReliaBull Technology is engineered by the finest University experts in California. This is why Bull is confident in offering a LIFETIME WARRANTY on these Beasts!





PREMIUM SERIES

ANGUS CART



ANGUS BUILT-IN



The Angus Grill is a 76cm 4-Burner Stainless Steel Barbecue Grill with an Infrared Back Burner and rotisserie. This grill cart has room to prepare food and great storage for your tools and propane tank.

BRAHMA CART Standard Features #55000CE-LPG Brahma Cart #55001CE-NG

PREMIUM SERIES

Brahma Built-In

Infrared Back Burner

Cast Stainless Steel

SS Dual Lined Hood

Heavy Duty Thermometer

Solid SS Warming Rack

Cooking Power

Burners

Side Burner

Piezo laniter

SS 304 Gauge

Solid SS Grates

Rotisserie Kit

SS Grease Tray

SS Side Shelves

Twin Lighting System

Heavy Duty Castors

CSA Certified

CE Certified

SS 304 Double Door Cart

SS 304 Door/Drawer Cart

Lower Cooking Surface

Upper Cooking Surface

Warranty Details

Cooking Grates

Flame Tamers

Grill Carton Length

Grill Carton Width

Grill Carton Height

Grill Carton Weight

Cart Carton Length

Cart Carton Width

Cart Carton Height

Cart Carton Cube

Cart Carton Weight

Grill Carton Cube

Burners

Fire Box/Roasting Hood

Grill Packing Dimensions

Cart Packing Dimensions

Zinc Knobs

#57568CE-LPG

#57569CE-NG

26.4 kWh

5 - Cast

S/Steel Bar Burners

Optional

#60010CE

Side Burner

 \checkmark

2 mm

 \checkmark

 \checkmark

√

√

 \checkmark

×

 \checkmark

 \checkmark

97 x 49 cm

97 x 18 cm

Lifetime

Lifetime

Lifetime

5 Years

107 cm

66 cm

62 cm

 $0.44 \, \text{M}^3$

84.00 Kg

103 cm

58 cm

53 cm

 $0.32 \, M^3$


35.38 Kg



BRAHMA BUILT-IN



The Brahma Grill is a 97cm 5-Burner stainless steel gas barbecue with an infrared back burner and rotisserie. This cart has plenty of room for grilling and plenty of storage under the grill for your propane tank and tools.



Standard Features #44000CE-LPG Angus Cart #44001CE-NG #47628CE-LPG Angus Built-In #47629CE-NG Cooking Power-kWh 22 kWh 4-Cast S/ Burners Steel Bar Burners Infrared Back Burner Cast Stainless Steel Optional #60010CE Side Burner Side Burner Piezo Igniter **√** Zinc Knobs SS 304 Gauge 2 mm SS Dual Lined Hood \checkmark Solid SS Grates **√** 1 Heavy Duty Thermometer Solid SS Warming Rack Rotisserie Kit SS Grease Tray **√** SS Side Shelves Twin Lighting System SS 304 Double Door Cart SS 304 Door/Drawer Cart × Heavy Duty Castors CSA Certified \checkmark CE Certified \checkmark Lower Cooking Surface 76 x 49 cm Upper Cooking Surface 76 x 18 cm Warranty Details Fire Box/Roasting Hood Lifetime Cooking Grates Lifetime Burners Lifetime 5 Years Flame Tamers Grill Packing Dimensions Grill Carton Length 88 cm Grill Carton Width 66 cm Grill Carton Height 63 cm 0.37 M³ Grill Carton Cube Grill Carton Weight 71.00 Kg Cart Packing Dimensions Cart Carton Length 84 cm Cart Carton Width 58 cm

Cart Carton Height

Cart Carton Cube

Cart Carton Weight

53 cm

0.26 M³

33.50 Kg



Requires #62725CE Cart Conversion Kit

#62600CE-LPG

#62601CE-NG

#62648CE-LPG

#62649CE-NG

30.8 kWh

6 - Cast

S/Steel Bar

Burners

√

√

2 mm

 \checkmark

 \checkmark

 \checkmark

√

√

√

 \checkmark

×

 \checkmark

√

115x 49 cm

115x 18 cm

Lifetime

Lifetime

Lifetime

5 Years

66 cm

62 cm

0.52M³

98.00 Kg

127 cm

62 cm

63 cm

0.50 M³

55.00 Kg

Standard Features

Diablo Cart

Cooking Power

Burners

Side Burner

Piezo Igniter

SS 304 Gauge

Solid SS Grates

Rotisserie Kit

SS Grease Tray

SS Side Shelves

Twin Lighting System

Heavy Duty Castors

CSA Certified

CE Certified

SS 304 Double Door Cart

SS 304 Door/Drawer Cart

Lower Cooking Surface

Upper Cooking Surface

Warranty Details

Fire Box/Roasting Hood

Grill Packing Dimensions

Cart Packing Dimensions

Cooking Grates

Flame Tamers

Grill Carton Length

Grill Carton Width

Grill Carton Height

Grill Carton Weight

Cart Carton Length

Cart Carton Width

Cart Carton Height

Cart Carton Weight

Cart Carton Cube

Grill Carton Cube

Burners

Zinc Knobs

Diablo Built-In

Infrared Back Burner

Cast Stainless Steel

SS Dual Lined Hood

Heavy Duty Thermometer

Solid SS Warming Rack

PREMIUM SERIES

DIABLO CART



DIABLO BUILT-IN



The Diablo grill is a 6-Burner 117cm barbecue grill with an Infrared back burner and rotisserie. Our largest Grill boasts a whopping 30.8 kWh of cooking power and comes standard with our Reliabull heat technology that reduces hot and cold spots creating a more even grilling surface.

20

7 BURNER CART

PREMIUM SERIES

#28368CE-LPG

30.8 kWh

4 - Cast

S/Steel Bar Burners

✓

√

2 mm

 \checkmark

 \checkmark

√

√

 \checkmark

 \checkmark

 \checkmark

76 x 49 cm

76 x 18 cm

Lifetime

Lifetime

Lifetime

5 Years

125 cm

70 cm

60 cm

 $0.53 \, M^3$

91.00 Kg

127 cm

62 cm

63 cm

 $0.50 \, M^3$

55.00 Kg

Standard Features

7 Burner Cart

Cooking Power

Burners

Side Burner

Piezo laniter

SS 304 Gauge

Solid SS Grates

Rotisserie Kit

SS Grease Tray

SS Side Shelves

Twin Lighting System

Heavy Duty Castors

CSA Certified

CE Certified

SS 304 Double Door Cart

SS 304 Door/Drawer Cart

Lower Cooking Surface

Upper Cooking Surface

Warranty Details

Cooking Grates

Flame Tamers

Grill Carton Length

Grill Carton Width

Grill Carton Height

Grill Carton Weight

Cart Carton Length

Cart Carton Width

Cart Carton Height

Cart Carton Cube

Cart Carton Weight

Grill Carton Cube

Burners

Fire Box/Roasting Hood

Grill Packing Dimensions

Cart Packing Dimensions

Zinc Knobs

7 Burner Built-In

Infrared Back Burner

Cast Stainless Steel

SS Dual Lined Hood

Heavy Duty Thermometer

Solid SS Warming Rack



7 BURNER BUILT-IN




The 7 Burner Grill is the largest and most versatile of all our carts. It has an impressive cooking area, with infrared Back Burner and rotisserie, along with extra storage space. The incorporated double side burner saves space especially when incorporating in an Outdoor Kitchen.




| Cidakiak | kick Cart Sida Burne | | | | #60010 | | CE | LPG | |
|---|-------------------------|----------|----------|----|------------|------------|-----|----------|--|
| Sidekick | Sidekick Cart Side Burn | | | | | On request | | | |
| 304 Solid Cast Stainless Steel Burner. Piezo Ignition. | | | | | | | | | |
| 304 Solid Stainless Steel Grate. GAS CONNECTION KIT NOT INCLUDED. | | | | | | | | | |
| Replaces right shelf on 61,76 & 97cm Bull Grill Carts. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | 4.40 k\ | Wh | | | | | | |
| Dimensions | | | | | Cut out Di | mensions | | | |
| L 33.2 cm | D 47 | .7 cm | H 15.3 d | cm | L N/A | D N/ | A | H N/A | |
| CTN Length | | 0.54 Mts | | | CTN Heig | ght | | 0.21 Mts | |
| CTN Width | | 0.40 Mts | | | CTN Weig | ht | 8 K | g 1 Pcs | |
| | | | | | | | 8 K | | |






| Infrared Searing Burner | | | | | | #2 | 050 | CE | LPG | / NG |
|--|--|----------|----------|-----|-------------------|------|-------|--------|----------|------|
| Ceramic Infrared sear Burner 5.86 kWh. | | | | | | | | | | |
| Replaces the | Replaces the rightmost burner on all Bull Grills. Takes less than one minute to install. | | | | | | | | | |
| Sear your Fav | Sear your Favourite Maet to Perfection. | | | | | | | | | |
| Specifications | | | | | | | | | | |
| CE Certified | | 5.86 k\ | Wh | | | | | | | |
| Dimensions | | | | | Cut out Dir | mens | sions | | | |
| L 16.8 cm | D 40. | .8 cm | H 7.1 cm | 1 | L N/A D N/A H N/A | | | | | |
| CTN Length | | 0.48 Mts | | | CTN Heig | ght | | | 0.20 Mts | |
| CTN Width | | | 0.46 | Mts | CTN Weig | ht | | 11.5 K | g 5 | Pcs |






| Clida In | Slide-In Removable Griddle | | | | | | 0 | |
|---|----------------------------|----------|---------|-----|------------|----------|-------|----------|
| Silde-iii | iova | ile | | | | | | |
| Turns part of your Bull Grill into a Flat Top Griddle . | | | | | | | | |
| Perfect for making Tacos, Pancakes, Eggs and so much more. | | | | | | | | |
| Replaces 2 cooking grids on 76, 97 &120cm Grills. USE ONLY ONE PER GRILL. | | | | | | | | |
| Specifications | | | | | | | | |
| Solid S/Steel | | | | | | | | |
| Dimensions | | | | | Cut out Di | mensions | | |
| L 50.00cm | D 38 | .0cm | H 2.0cm | 1 | L N/A | D N | /A | H N/A |
| CTN Length | | 0.52 Mts | | | CTN Heig | ght | | 0.05 Mts |
| CTN Width | | | 0.40 | Mts | CTN Weig | ht | 8.5 K | g 1 Pcs |
| 2 | | | 3.10 | | | | 3.0 | 5 7 7 00 |







| 76cm Rotiss | 46000CE | | | | |
|--|-----------------|------------|------|-------|--|
| Fits Angus, Outlaw, Lonestar and 7-Burner Grills. Rotisserie Rod Length: 91cm | | | | | |
| Includes Rotisserie Motor, rod, forks, counter weight, bracket, shaft collar and handle. | | | | | |
| Available for our Entr | y Level Grills. | | | | |
| CTN Length | 0.96 Mts | CTN Height | 0.11 | Mts | |
| CTN Width | 0.12 Mts | CTN Weight | 5 Kg | 1 Pcs | |

| 97cm Rotiss | #56000CE | | | | |
|---|----------------------|-----------------------|--------------------|------------|--|
| Fits Brahma and Renegade Grills. Rotisserie Rod Length: 110cm | | | | | |
| Includes Rotisserie M | lotor, rod, forks, c | ounter weight, bracke | et, shaft collar a | nd handle. | |
| Available for our Entr | y Level Grills. | | | | |
| CTN Length | 1.15 Mts | CTN Height | 0.11 | Mts | |
| CTN Width | 0.12 Mts | CTN Weight | 5 Kg | 1 Pcs | |



A wide selection of Covers available for all Grill Heads and Carts



| Bull 60cm | Cart Cov | er | #7 | 2010 | | | |
|--|---------------|-----------------|-----------|-------|--|--|--|
| 300D Polyes | ter Black Red | Piping & Stitch | hed Logo. | | | | |
| This Head cover fits Bull Steer Cart. | | | | | | | |
| CTN Length 0.25 Mts CTN Height 0.3 Mts | | | | | | | |
| CTN Width | 0.12 Mts | CTN Weight | 2 Kg | 1 Pcs | | | |

| Bull 76cm Cart Cover | | | #7 | 2012 | | |
|----------------------|---|------------|------|-------|--|--|
| 300D Polyes | 300D Polyester Black Red Piping & Stitched Logo. | | | | | |
| This Head co | This Head cover fits Bull Angus, Outlaw and Lonestar Carts. | | | | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | Mts | | |
| CTN Width | 0.12 Mts | CTN Weight | 2 Kg | 1 Pcs | | |

| Bull 97cm Cart Cover | | | # 72013 | | |
|----------------------|--|-----------------|------------|-------|--|
| 300D Polyes | 300D Polyester Black Red Piping & Stitched Logo. | | | | |
| This Head co | over fits Bull F | Renegade and Br | ahma Carts | S. | |
| CTN Length | 0.33 Mts | CTN Height | 0.20 Mts | | |
| CTN Width | 0.29 Mts | CTN Weight | 2 Kg | 1 Pcs | |

| Bull 120cm Cart Cover | | | # 72014 | | |
|-----------------------|--|---------------|---------|-------|--|
| 300D Polyes | 300D Polyester Black Red Piping & Stitched Logo. | | | | |
| This Head co | over fits Bull 7 | -Burner Cart. | | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 Mts | | |
| CTN Width | 0.12 Mts | CTN Weight | 2 Kg | 1 Pcs | |





| Bull 60cm Griddle Head Cover | | | # 9 | # 97770 | |
|--|------------------|-----------------|-----------|---------|--|
| 300D Polyester Black Red Piping & Stitched Logo. | | | | | |
| This Head co | over fits Bull F | Plancha Griddle | Built-In. | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | 8 Mts | |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs | |

| Bull 60cm Grill Head Cover | | | #7 | 72016 |
|--|------------------|-----------------|--------|-------|
| 300D Polyester Black Red Piping & Stitched Logo. | | | | |
| This Head co | over fits Bull S | Steer Built-In. | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | Mts |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs |

| Bull 76cm Grill Head Cover | | | # 45005 | |
|--|------------------|-----------------|-------------|-----------|
| 300D Polyester Black Red Piping & Stitched Logo. | | | | |
| This Head co | over fits Bull A | ingus, Outlaw a | nd Lonestar | Built-In. |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | 8 Mts |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs |

| Bull 97cm Grill Head Cover | | | # 56006 | | |
|----------------------------|---|------------|---------|-------|--|
| 300D Polyes | 300D Polyester Black Red Piping & Stitched Logo. | | | | |
| This Head co | This Head cover fits Bull Renegade and Brahma Built-In. | | | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | 8 Mts | |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs | |

| Bull 116cm Grill Head Cover | | | #7 | 2017 | |
|--|--|------------|---------|-------|--|
| 300D Polyester Black Red Piping & Stitched Logo. | | | | | |
| This Head co | This Head cover fits Bull Diablo Built-In. | | | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 Mts | | |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs | |

| Bull 120cm Grill Head Cover | | | #7 | 2015 | | |
|-----------------------------|------------------|-------------------|-----------|---------|--|--|
| 300D Polyes | ter Black Red | Piping & Stitch | ned Logo. | | | |
| This Head co | over fits Bull 7 | '-Burner Built-In | 1. | | | |
| CTN Length | 0.25 Mts | CTN Height | 0.3 | 0.3 Mts | | |
| CTN Width | 0.12 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | |

All Covers are also available in Sunbrella Surlast Canvas.



| Bull 60cm Griddle Cart Cover | | | # SLC73008 | |
|------------------------------|--|-------------------|------------|----------|
| This Cover fi | ts Bull Planch | na Griddle Cart. | | |
| Subrella Sur | last, a 100% : | solution-dyed all | weather po | lyester. |
| CTN Length | CTN Length 0.31 Mts CTN Height 0.4 Mts | | | |
| CTN Width | 0.12 Mts | CTN Weight | 1.5 Kg | 1 Pcs |

| Bull 60cm Cart Cover | | | # SL | C69105 | | |
|---------------------------------------|--------------|-----------------|---------------|----------|--|--|
| This Cart Cover fits Bull Steer Cart. | | | | | | |
| Subrella Sur | last, a 100% | solution-dyed a | II weather po | lyester. | | |
| CTN Length | 0.31 Mts | CTN Height | 0.4 | 0.4 Mts | | |
| CTN Width | 0.12 Mts | CTN Weight | 1.5 Kg | 1 Pcs | | |

| Bull 76cm Cart Cover | | | # SL | C74033 |
|--|----------------|------------------|------------|----------|
| This Head cover fits Bull Outlaw, Lonestar & Angus Cart. | | | | |
| Subrella Sur | last, a 100% : | solution-dyed al | weather po | lyester. |
| CTN Length 0.31 Mts CTN Height 0.4 Mts | | | Mts | |
| CTN Width | 0.12 Mts | CTN Weight | 1.5 Kg | 1 Pcs |

| Bull 97cm Cart Cover | | | # SL | C55100 | | | |
|----------------------|---|------------|--------------|--------|--|--|--|
| This cart Cover fi | This cart Cover fits Bull Renegade, Brahma Cart. | | | | | | |
| Subrella Surlast, | Subrella Surlast, a 100% solution-dyed all weather polyester. | | | | | | |
| CTN Length 0.31 | Mts | CTN Height | 0.4 Mts | | | | |
| CTN Width 0.12 | Mts | CTN Weight | 1.5 Kg 1 Pcs | | | | |

| Bull 116c | m Grill He | ad Cover | # SL | C62600 | | |
|--|----------------|------------------|--------------|----------|--|--|
| This Head cover fits Bull Diablo Cart. | | | | | | |
| Subrella Sur | last, a 100% : | solution-dyed al | I weather po | lyester. | | |
| CTN Length | 0.31 Mts | CTN Height | 0.4 Mts | | | |
| CTN Width | 0.12 Mts | CTN Weight | 2 Kg | 1 Pcs | | |

| Bull 120c | m Cart Co | ver | # SL | C18035 |
|--------------|-----------------|------------------|---------------|----------|
| This Cart Co | ver fits Bull 7 | Burner Cart. | | |
| Subrella Sur | last, a 100% | solution-dyed al | II weather po | lyester. |
| CTN Length | 0.31 Mts | CTN Height | 0.4 | Mts |
| CTN Width | 0.12 Mts | CTN Weight | 2 Kg | 1 Pcs |

| Bull 76cm Cart Cover | | | # SL | C88000 | | | |
|----------------------|---|------------|--------|--------|--|--|--|
| This Cart Co | This Cart Cover fits Bull Bison Cart. | | | | | | |
| Subrella Sur | Subrella Surlast, a 100% solution-dyed all weather polyester. | | | | | | |
| CTN Length | 0.31 Mts | CTN Height | 0.4 | Mts | | | |
| CTN Width | 0.12 Mts | CTN Weight | 1.5 Kg | 1 Pcs | | | |



| Bull 60cm Griddle Head Cover | | | # SL | C97770 | | |
|--|--------------|-----------------|---------------|-----------|--|--|
| This Cover fits Bull Plancha Griddle Built-In. | | | | | | |
| Subrella Sur | last, a 100% | solution-dyed a | II weather po | olyester. | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 | 0.32 Mts | | |
| CTN Width 0.07 Mts CTN Weight 0.5 Kg 1 | | | | | | |

| Bull 60cm Grill Cover | | | # SL | C69010 | | | |
|---|---|-----------------|---------------|----------|--|--|--|
| This Head co | This Head cover fits Bull Steer Premium Built-In. | | | | | | |
| Subrella Surl | ast, a 100% : | solution-dyed a | II weather po | lyester. | | | |
| CTN Length 0.21 Mts CTN Height 0.32 Mts | | | | Mts | | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | | |

| Bull 76cm | Grill Hea | d Cover | # SL | C42030 | | | |
|--------------|--|------------------|--------------|-----------|--|--|--|
| This Head co | This Head cover fits Bull Outlaw, Lonestar & Angus Built-In. | | | | | | |
| Subrella Sur | last, a 100% | solution-dyed al | weather po | olyester. | | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 | 2 Mts | | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg 1 Pcs | | | | |

| Bull 97cm | Grill Hea | d Cover | # SL | C56006 | | |
|---|-----------|------------|--------|--------|--|--|
| This Head cover fits Bull Renegade, Brahma Built-In. | | | | | | |
| Subrella Surlast, a 100% solution-dyed all weather polyester. | | | | | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 | 2 Mts | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | |

| Bull 116cm Grill Head Cover | | | # SL | C62270 | | |
|---|----------|------------|--------|--------|--|--|
| This Head cover fits Bull Diablo Built-In. | | | | | | |
| Subrella Surlast, a 100% solution-dyed all weather polyester. | | | | | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 | 2 Mts | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | |

| Bull 120ci | m Grill He | ad Cover | # SL | C70000 | | | | |
|--------------|---|-------------------|------------|-----------|--|--|--|--|
| This Head C | This Head Cover fits Bull 7- Burner Built-In. | | | | | | | |
| Subrella Sur | ast, a 100% | solution-dyed all | weather po | olyester. | | | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 Mts | | | | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | | | |

| Bull 76cm | Grill Hea | d Cover | # SL | C88787 | | | |
|---|-----------|------------|--------|--------|--|--|--|
| This Head Cover fits Bull Bison Built-In. | | | | | | | |
| Subrella Surlast, a 100% solution-dyed all weather polyester. | | | | | | | |
| CTN Length | 0.21 Mts | CTN Height | 0.32 | 2 Mts | | | |
| CTN Width | 0.07 Mts | CTN Weight | 0.5 Kg | 1 Pcs | | | |

These are Premium Hand Stitched Tailored Covers in Sunbrella Surlast Marine Grade Fabric & Thread.

25

Colour Options





The Large Pizza Oven is wood-fired and built in Italy made entirely from Grade 304 Stainless Steel and reinforced with 6mm corten refractory plates.

| Large Pizza Oven with Cart | | | | #66025 | | | | |
|----------------------------|--------|-----------|------------------|--------|-----------|----|--------|----------|
| Baking Stone: | 60 cm | W x 60 | cm D. | | | | | |
| Internal Top 2. | 55mm | . Interna | al Botton | 3.00n | nm thick. | | | |
| Made entirely | from S | S 304. | | | | | | |
| Specifications | | | | | | | | |
| Powder Coate | d Anth | racite To | op. | | | | | |
| Dimensions | | | | | | | | |
| L 77.8 cm | D 85. | 5 cm | H 198 | cm | | | | |
| CTN Length | | | 0.89 Mts CTN Hei | | | ht | | 0.83 Mts |
| CTN Width | | | 0.83 | Mts | CTN Weig | ht | 130 Kg | 1 Pcs |


| Large Piz | za Ove | n | | #66024 | | | | | |
|----------------------------|--|---------|-----|----------|----|--------|----------|--|--|
| Baking Stone: 6 | 60 cm W x 60 | cm D. | | | | | | | |
| Internal Top 2.5 | Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | | |
| Made entirely from SS 304. | | | | | | | | | |
| Specifications | Specifications | | | | | | | | |
| Powder Coated | Anthracite To | op. | | | | | | | |
| Dimensions | | | | | | | | | |
| L 77.8 cm | D 85.5 cm | H 118 c | m | | | | | | |
| CTN Length | | 0.89 | Mts | CTN Heig | ht | | 0.63 Mts | | |
| CTN Width | | 0.83 | Mts | CTN Weig | ht | 108 Kg | 1 Pcs | | |

| Large Ca | Large Cart Bottom Only | | | | | | | | |
|---------------|------------------------|----|--------|-----|----------|----|-------|----------|--|
| 304 Stainless | Steel. | | | | | | | | |
| Unassembled. | | | | | | | | | |
| Dimensions | | | | | | | | | |
| L 77.8 cm | D 78 | cm | H 79.8 | cm | | | | | |
| CTN Length | | | 0.89 | Mts | CTN Heig | ht | | 0.22 Mts | |
| CTN Width | | | 0.83 | Mts | CTN Weig | ht | 22 Kg | 1 Pcs | |

WOOD FIRED LARGE











The Extra Large Pizza Oven is wood-fired and built in Italy made entirely from Grade 304 Stainless Steel and reinforced with 6mm corten refractory plates. Adding a little more room for the busy pizzaiolo.

| _ | | | | | | | | | |
|---|--|--------|-----------|---------|-----|----------|--------|--------|-------|
| | Extra La | rge | Pizza | a Ove | n & | Cart | #66042 | | |
| | Baking Stone: | 80 cm | W x 60 | cm D. | | | | | |
| | Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | | |
| | Made entirely from SS 304. | | | | | | | | |
| | Specifications | | | | | | | | |
| | Powder Coate | d Anth | racite To | op. | | | | | |
| | Dimensions | | | | | | | | |
| | L 98 cm | D 85 | .5 cm | H 198 c | m | | | | |
| | CTN Length 1.03 Mts CTN Height 0.85 Mts | | | | | | | | |
| | CTN Width | | | 0.99 | Mts | CTN Weig | ht | 152 Kg | 1 Pcs |
| | • | | | | | | | | |

| Extra La | rge F | Pizza | a Ov | en | | #66040 | | |
|--|----------------------------------|---------------------|-------|-------|----------|--------|----------|-------|
| Baking Stone: | Baking Stone: 80 cm W x 60 cm D. | | | | | | | |
| Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | | |
| Made entirely from SS 304. | | | | | | | | |
| Specifications | Specifications | | | | | | | |
| Powder Coate | d Anthra | acite To | op. | | | | | |
| Dimensions | | | | | | | | |
| L 98 cm | D 85.5 | cm | H 119 | cm | | | | |
| CTN Length | | 1.03 Mts CTN Height | | | | | 0.63 Mts | |
| CTN Width | | | 0.99 | 9 Mts | CTN Weig | ht | 130 Kg | 1 Pcs |

| Extra La | rge | Cart | #66241 | | | | | | |
|---------------|--------|----------|--------|-----|----------|-----|-------|----------|--|
| 304 Stainless | Steel. | | | | | | | | |
| Unassembled. | | | | | | | | | |
| Dimensions | | | | | | | | | |
| L 98 cm | D 78 | cm | H 79.8 | cm | | | | | |
| CTN Length | | 0.93 Mts | | | CTN Heig | ıht | | 0.22 Mts | |
| CTN Width | | | 0.72 | Mts | CTN Weig | ht | 22 Kg | 1 Pcs | |





WOOD FIRED XL






The Large Pizza Oven is gas-fired and built in Italy made entirely from Grade 304 Stainless Steel. A much cleaner and faster way to cook your favourite pizza and roast.

| Large Pi | zza | Ove | n with | Ca | ırt | #66125 | CE | |
|--|----------|----------|---------|--------|--------------|--------|--------|----------|
| Baking Stone: | 60 cm | W x 60 | cm D. | | | | | |
| Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | | |
| Made entirely from SS 304. | | | | | | | | |
| Specifications | | | | | | | | |
| Brushed stain | less Ste | eel Top. | 14kWh | S/Stee | el Tubular B | urner. | | |
| Dimensions | | | | | | | | |
| L 77.8 cm | D 85. | 5 cm | H 198 c | m | | | | |
| CTN Length | | | 0.89 | Mts | CTN Heig | ıht | | 0.93 Mts |
| CTN Width | | | 0.83 | Mts | CTN Weig | ht | 130 Kg | 1 Pcs |
| | | | | | | | | |

| Large F | Large Pizza Oven #66124CE | | | | | | | |
|---------------|--|----------|----------|--------|--------------|--------|--------|----------|
| Baking Ston | e: 60 cm | W x 60 | cm D. | | | | | |
| Internal Top | Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | |
| Made entirel | Made entirely from SS 304. | | | | | | | |
| Specification | Specifications | | | | | | | |
| Brushed stai | nless St | eel Top. | 14kWh S | S/Stee | el Tubular B | urner. | | |
| Dimensions | | | | | | | | |
| L 77.8 cm | D 85 | .5 cm | H 126 cr | n | | | | |
| CTN Length | | | 0.89 | Mts | CTN Heig | ht | | 0.71 Mts |
| CTN Width | | | 0.83 | Mts | CTN Weig | ht | 110 Kg | 1 Pcs |

| Large Cart Bottom Only #66239 | | | | | | | | | |
|---|------|----|--------|-----|----------|----|-------|------|--|
| 304 Stainless Steel. | | | | | | | | | |
| Unassembled. | | | | | | | | | |
| Dimensions | | | | | | | | | |
| L 77.8 cm | D 78 | cm | H 71.8 | cm | | | | | |
| CTN Length 0.93 Mts CTN Height 0.22 Mts | | | | | | | | | |
| CTN Width | | | 0.73 | Mts | CTN Weig | ht | 20 Kg | 1 Pc | |

GAS FIRED LARGE



| Large Pi | zza Ove | n | #60 | 6124CE | | | | |
|--|----------------|----------------|------------------|--------|----------|--|--|--|
| Baking Stone: 60 cm W x 60 cm D. | | | | | | | | |
| Internal Top 2.55mm. Internal Bottom 3.00mm thick. | | | | | | | | |
| Made entirely from SS 304. | | | | | | | | |
| Specifications | | | | | | | | |
| Brushed stain | less Steel Top | . 14kWh S/Stee | el Tubular Burne | r. | | | | |
| Dimensions | | | | | | | | |
| L 77.8 cm | D 85.5 cm | H 126 cm | | | | | | |
| CTN Length | | 0.89 Mts | CTN Height | | 0.71 Mts | | | |
| CTN Width | | 0.83 Mts | CTN Weight | 110 Kg | 1 Pcs | | | |

| Large Cart Bottom Only | | | | | | | #66239 | | | | |
|------------------------|------------------------------------|----|------------|------|----|--|--------|----|----|----|-------|
| 304 Stainless Steel. | | | | | | | | | | | |
| Unassembled. | | | | | | | | | | | |
| Dimensions | | | | | | | | | | | |
| L 77.8 cm | D 78 | cm | Н | 71.8 | cm | | | | | | |
| CTN Length | ength 0.93 Mts CTN Height 0.22 Mts | | | | | | | | | | |
| CTN Width | | | 0.73 Mts C | | | | Weig | ht | 20 | Kg | 1 Pcs |



29









The XL Pizza Oven is gas-fired and built in Italy made entirely from Grade 304 Stainless Steel. A much cleaner and faster way to cook your favourite pizza and roast, with a little extra room. More Pizza, Less Time!

| Extra Larç | ge Pizza | a Oven & | Cart | #66142 | CE | | | | | |
|----------------------------|---|------------------------------|--------------|--------|--------|-------|--|--|--|--|
| Baking Stone: 80 | Baking Stone: 80 cm W x 60 cm D. | | | | | | | | | |
| Internal Top 2.55 | Internal Top 2.55mm.Internal Bottom 3.00mm thick. | | | | | | | | | |
| Made entirely from SS 304. | | | | | | | | | | |
| Specifications | Specifications | | | | | | | | | |
| Brushed stainles | ss Steel Top. | 14kWh S/Stee | el Tubular B | urner. | | | | | | |
| Dimensions | | | | | | | | | | |
| L 97.8 cm | 85.5 cm | H 198 cm | | | | | | | | |
| CTN Length | | 1.03 Mts CTN Height 0.93 Mts | | | | | | | | |
| CTN Width | | 0.89 Mts | CTN Weig | ht | 147 Kg | 1 Pcs | | | | |
| | | | | | | | | | | |

| Extra La | Extra Large Pizza Oven #66140CE | | | | | | | |
|---|---------------------------------|------------------------------|----------|--------|--------------|------------|--------|-------|
| Baking Stone: | 80 cm V | V × 60 | cm D. Cl | nimne | y Stainless | steel 304. | | |
| Internal Top 2.55mm.Internal Bottom 3.00mm thick. | | | | | | | | |
| Made entirely from SS 304 | | | | | | | | |
| Specifications | | | | | | | | |
| Brushed stainl | ess Stee | el Top. | 14kWh | S/Stee | el Tubular B | urner. | | |
| Dimensions | | | | | | | | |
| L 97.8 cm | D 85.5 | cm | H 126 c | m | | | | |
| CTN Length | | 1.03 Mts CTN Height 0.71 Mts | | | | | | |
| CTN Width | | | 0.89 | Mts | CTN Weig | ht | 127 Kg | 1 Pcs |

| Extra La | rge | Cart | #6641 | | | | | |
|---------------|--------|------|--------|-----|--------|-------|-------|----------|
| 304 Stainless | Steel. | | | | | | | |
| Unassembled. | | | | | | | | |
| Dimensions | | | | | | | | |
| L 98.0 cm | D 78 | cm | H 71.8 | cm | | | | |
| CTN Length | | | 0.93 | Mts | CTN He | eight | | 0.22 Mts |
| CTN Width | | | 0.73 | Mts | CTN We | eight | 20 Kg | 1 Pcs |



GAS FIRED XL







30

SURLAST COVERS

| Large Pizza | Oven Co | | #SLC66024 | | | | | | |
|---|---------|--------------------------------|-----------|-----|--|------|-----|--|--|
| Fits Large Oven #66024/#66124. | | | | | | | | | |
| Weather Proof and Breathable Sumbrella Surlast Cover. | | | | | | | | | |
| CTN Length | 0.43 | Mts | CTN Hei | ght | | 0.31 | Mts | | |
| CTN Width | 0.08 | 0.08 Mts CTN Weight 1 Kg 1 Pcs | | | | | | | |

| Large Pizza | Oven Car | over | #SLC66 | 6025 | | | | | | |
|---------------------|--------------------------------|--------|------------|------|------|---------|--|--|--|--|
| Fits Large Oven #66 | Fits Large Oven #66025/#66125. | | | | | | | | | |
| Weather Proof and B | Breathable Sumbre | ella S | urlast Cov | er. | | | | | | |
| CTN Length | 0.35 | Mts | CTN Hei | ight | | 0.4 Mts | | | | |
| CTN Width | 0.06 | Mts | CTN Wei | ght | 2 Kg | 1 Pcs | | | | |

| XL Pizza Ov | en Cover | #SLC66040 | | | | | | | |
|--------------------------------------|--------------------------------|-----------|------------|------|--|----------|--|--|--|
| Fits Extra Large Oven #66040/#66140. | | | | | | | | | |
| Weather Proof and B | reathable Sumbr | ella S | urlast Cov | er. | | | | | |
| CTN Length | 0.43 | Mts | CTN Hei | ight | | 0.31 Mts | | | |
| CTN Width | 0.08 Mts CTN Weight 1 Kg 1 Pcs | | | | | | | | |

| XL Pizza Ov | en Cart Co | #SLC66042 | | | | | | | |
|--------------------------------|---------------------|-------------|------|------|----------|--|--|--|--|
| Fits Large Oven #66042/#66142. | | | | | | | | | |
| Weather Proof and B | reathable Sumbrella | Surlast Cov | er. | | | | | | |
| CTN Length | 0.40 M | ts CTN He | ight | 0.0 | 3 cm Mts | | | | |
| CTN Width | 0.30 M | ts CTN We | ight | 2 Kg | 1 Pcs | | | | |













SEARING STATION

NOW CE CERTIFIED!

You can't properly finish a steak without serious heat. The Bull Searing Station provides just that heat, locking in flavors and providing the beautiful caramelization that raises your outdoor cooking to the next level.



| Clide in C | `~~" | ina C | totion | | | #94 | 1008 | CE | LPG |
|--|-----------|---------|------------|-------|------------|----------|-------|----------|----------|
| Slide-in S | bear | ing 5 | lation | | | #94009CE | | | |
| 304 Stainless S | Steel C | onstruc | tion & Ren | novab | le Cover. | | | | |
| Solid Cast S/Steel Burners/Piezo Igniter . GAS CONNECTIONS NOT INCLUDED. | | | | | | | | | |
| Sear to perfection with this MASSIVE 7.3 kWh ceramic burner. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | 7.3 kW | /h | | | | | Slide-in | Design |
| Dimensions | | | | | Cut out Di | men | sions | | |
| L 33.7 cm | D 63 | .1 cm | H 24.1 c | cm | L 30.5 cm | n | D 53 | cm | H 24 cm |
| CTN Length | n 0.67 Mt | | | | CTN Heig | ht | | | 0.28 Mts |
| CTN Width 0.36 Mi | | | | | CTN Weig | ht | | 17.8 K | g 1 Pcs |

34



| Drop in | Cina | عام 9 | ida Durn | <u>. </u> # | 60008 | CE | LPG | | |
|--|--|----------|-----------------|----------------------|----------|---------|----------|--|--|
| Drop-iii , | SIII | jie S | ide Burn | # | 60009 | NG | | | |
| 304 Solid Cas | t Stain | less Ste | el Burner. Piez | o Ignition. | | | | | |
| 304 Solid Stair | 304 Solid Stainless Steel Grate. GAS CONNECTIONS NOT INCLUDED. | | | | | | | | |
| Drop a Side Burner in your Outdoor Kitchen Top. Also fits on a Fridge. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | 4.4 kW | /h | | | Drop-in | Design | | |
| Dimensions | | | | Cut out Din | nensions | | | | |
| L 31.8 cm | D 54 | .7 cm | H 14.5 cm | L 28.8 cm | D 44 | .5 cm | H 8.5 cm | | |
| CTN Length | | | 0.58 Mts | CTN Heigh | nt | | 0.20 Mts | | |
| CTN Width | | | 0.34 Mts | CTN Weigh | it | 8.6 K | g 1 Pcs | | |

| Clida In | Dat | ıbla C | Side Di | IMP | - | #30008 | CE | LPG | |
|---|---------|----------|-----------|-------|------------|----------|-------------|----------|--|
| Slide - In | טטנ | ible s | olue Di | urn | er | CE | NG | | |
| 304 Stainless | Steel C | onstruct | ion & Rem | novab | le Cover. | | | | |
| Solid Cast S/Steel Burners/Piezo Igniter. GAS CONNECTIONS NOT INCLUDED. | | | | | | | | | |
| Transform your Outdoor Kitchen to a Complete Cooking Station. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | 7 kWh | | | 13.15Kg | | Slide-in | Design | |
| Dimensions | | | | | Cut out Di | mensions | | | |
| L 33.5 cm | D 62 | .3 cm | H 24.4 c | m | L 30.5 cn | n D 52 | 2.8 cm | 1 24 cm | |
| CTN Length | | | 0.69 | Mts | CTN Heig | ht | | 0.29 Mts | |
| CTN Width | | | 0.37 | Mts | CTN Weig | ht | 15 Kg 1 Pcs | | |





| Cinalo Ci | ida i | n Du | Cido Du | MIDON | #600 | 0180 | CE | | LPG | |
|--|---------|----------|---------------|------------|--------|-------|----------|----------|-------|--|
| Single SI | iue-i | III PIQ | J Slue Du | iriei | #600 | 0190 | CE | | NG | |
| 304 Stainless | Steel C | onstruct | ion & Removal | ole Cover. | | | | | | |
| Solid Cast S/Steel Burners/Piezo Igniter . GAS CONNECTIONS NOT INCLUDED. | | | | | | | | | | |
| Transform your Outdoor Kitchen to a Complete Cooking Station. | | | | | | | | | | |
| Specifications | | | | | | | | | | |
| CE Certified | | 7 kWh | | 13.15Kg | | | Slide-in | De | esign | |
| Dimensions | | | | Cut out D | imensi | ions | | | | |
| L 33.5 cm | D 41. | .2 cm | H 24 cm | L 30.5 c | m I | D 52. | .8 cm | Н | 24 cm | |
| CTN Length | | | 0.46 Mts | CTN Hei | ght | 0.3 | | 0.32 Mts | | |
| CTN Width | | | 0.36 Mts | CTN Weig | ght | | 9.5 Kg | | 1 Pcs | |



REFRIGERATORS

| Standar | d Fr | idge | | | | #11 | 0020 | CE | |
|---|--------|----------|--------------|-----|-------------|-----|-------|----------|-----------|
| The fridge is re | oomy v | vith 130 | Lts of space | ce. | | | | | |
| Space saving flush back design door panel. Reversible door - left or right swing. | | | | | | | | | |
| Add a Fridge to your Outdoor Kitchen. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | SS 304 | 1 Door | | R600A | | | 75w; 0.0 | 65A |
| Dimensions | | | | | Cut out Dir | men | sions | | |
| L 48.9 cm | D 45 | .9 cm | H 81.0 ci | m | L 52.2 cm | n | D 46 | .8 cm | H 83.0 cm |
| CTN Length | | | 0.55 | Mts | CTN Heig | ht | | 0.85 Mts | |
| CTN Width | | | 0.57 | Mts | CTN Weight | | | 30 K | g 1 Pcs |



| Kogorot | ~ r | | | | #17 | 79000 | CE | | |
|---|-------------|-------|-----------|------------|----------------|-------|---------|--------|----------|
| Kegorat | OI | | | | | | | | |
| UV-Safe, IPX4 | Digital LED | Cor | ntrol Pa | anel. | | | | | |
| Front venting internal and external fans. | | | | | | | | | |
| When the Beer is Never Enough. | | | | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | Grade | 304 SS | R600a | | | 125w; 1 | 1.1 | 0A |
| Dimensions | | | | Cut out Di | men | sions | | | |
| L 60.5 cm | D 63 | .8 cm | H 87.1 cm | L 63.0 cr | cm D 61.5 cm H | | Н | 88.5cm | |
| CTN Length | | | 0.67 Mts | CTN Heig | ht | | | (| 0.93 Mts |
| CTN Width 0.72 Mts CTN Weight | | | | | | | 58 K | g | 1 Pcs |



| Premiur Fridge | n O | utdo | or Rate | d | # | 137 | '000 | CE | | |
|--|-------|---------|--------------------------------|-----|---------------|-------|-------|---------|-------------|---------|
| UV-Safe, IPX4 | rated | Rainpro | of and Inter | nal | Digital LED (| Contr | ol Pa | anel. | _ | |
| LED Control Panels, Reversible self-Closing and sealed locking Door. | | | | | | | | | | |
| Withstands extremes of weather, direct sunlight and high humidity. | | | | | | | | | | |
| Specifications | | | | | | | | | | |
| CE Certified | | Grade | 304 SS | | R600a | | | 110w; 1 | .0 <i>A</i> | 4 |
| Dimensions | | | | | Cut out Dim | nensi | ons | | | |
| L 60.1 cm | D 60 | .1 cm | H 82.6 cm | | L 62.0 cm | С | 56. | .5 cm | Н | 84.0 cm |
| CTN Length | | | 0.65 M | lts | CTN Heigh | nt | | | | .88 Mts |
| CTN Width | | | 0.65 Mts CTN Weight 50 Kg 1 Pc | | | | | 1 Pcs | | |




REFRIGERATORS

| | | | e Drawer | • | #17 | 4000 | CE | | | |
|----------------|-----------------|----------|------------------|---------------|-------|----------|------------|----------|--|--|
| Outdoor | ^r Ra | ted F | -ridge | | | | | | | |
| UV-Safe, IPX4 | rated | Rainpro | of and Internal | Digital LED | Cor | ntrol Pa | anel. | | | |
| Withstands ex | tremes | of wea | ther, direct sun | light and hig | gh hu | umidity | . Front ve | enting. | | |
| Another Practi | cal wa | y to Sto | re your Cold Be | everages. | | | | | | |
| Specifications | | | | | | | | | | |
| CE Certified | | Grade | 304 SS | R600a | | | | | | |
| Dimensions | | | | Cut out Di | men | sions | | | | |
| L 59.3 cm | D 53 | cm | H 82 cm | L 62.5 cr | n | D 54 | cm | H 84 cm | | |
| CTN Length | | | 0.63 Mts | CTN Heig | ht | | | 0.87 Mts | | |
| CTN Width | | 0.64 Mts | CTN Weig | CTN Weight | | | g 1 Pcs | | | |





| Premiur | n O | utdo | or Glass | | #13 | 1000 | CE | | |
|-----------------|---------|-----------|------------------|--------------|-------|--------|-----------|------|----------|
| Fridge | | | | | | | | | |
| Fridge capacit | y: 145 | L, Clima | te class: N, Pro | tection clas | ss: I | | | | |
| Internal Digita | LED (| Control I | Panel, Self-clos | ing, Sealed | Loc | king D | oor. From | nt v | venting |
| For Showing of | ff your | Favour | ite Wines. | | | | | | |
| Specifications | | | | | | | | | |
| CE Certified | | Grade | 304 SS | R600a | | | Glass E | 000 | or |
| Dimensions | | | | Cut out Di | men | sions | | | |
| L 59.5 cm | D 57. | .5 cm | H 82 cm | L 62.5 cr | n | D 56 | .5 cm | Н | 84.0 cm |
| CTN Length | | | 0.63 Mts | CTN Heig | ght | | | (| 0.87 Mts |
| CTN Width | | | 0.64 Mts | CTN Weig | ht | | 45 K | g | 1 Pcs |
| | | | | | | | | | |



0.58 Mts CTN Weight 20 Kg 1 Pcs



36

CTN Width

BAR CENTERS

If you are just crazy about cocktails



| 76cm Ba | ar C | addy | / | | | #97 | 7623 | | | |
|-------------------|---------------------------|---------|----------|----------|-------------|--------|---------|----------|-----|-------|
| Sink with Cold | Water | Faucet | and Cut | tting Bo | oard. Towe | l Holo | der and | Bottle (| Оре | ener. |
| Ice Chest with | sliding | Lid, Re | emovable | e Conc | liment Tray | . 15k | g ice c | apacity. | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | Stainless Steel 304 Grade | | | | | | | | | |
| Dimensions | | | | | Cut out D | imen | sions | | | |
| L 72.9 cm | D 71 | .7 cm | H 32 c | m | L 73.8 c | m | D 57 | .8 cm | Н | 24 cm |
| CTN Length 0.84 M | | | | | CTN He | ight | | 0.35 M | | |
| CTN Width | | | 0.73 | Mts | CTN Wei | ght | | 33 k | ίg | 1 Pcs |

| | 46cm Ba | ar C | addy | / | | #856 | 24 | | | |
|---|----------------|---------|-----------|-----------------|--------------|---------|-----|------|---|----------|
| | Removable Co | ondime | ent Tray. | | | | | | | |
| | Ice Chest with | sliding | Lid. To | wel Holder. 15 | ikg ice capa | city. | | | | |
| | Add a Cocktai | Statio | n to you | ır Outdoor Kite | chen. | | | | | |
| | Specifications | | | | | | | | | |
| | Stainless Stee | 1 | 304 Gra | ade | | | | | | |
| | Dimensions | | | | Cut out D | imensio | ons | | | |
| | L 42.7 cm | D 56 | .7 cm | H 27.4 cm | L 43.5 ci | m [| 57 | cm | Н | 24 cm |
| | CTN Length | | | 0.72 Mts | CTN Hei | ght | | | 0 | 0.35 Mts |
| L | CTN Width | | | 0.52 Mts | CTN Weig | ght | | 23 K | g | 1 Pcs |



BOTTLE OPENER



A stylish addition beside your fridge

| | | | | | | _ | | | | | |
|---|---|--------|--------|----|---------|-----|-----------------------|-------|----|----------|--|
| Bottle O | pen | er | | | | | | #660 | 06 | , | |
| 1.7mm Gauge Stainless Steel Construction. | | | | | | | | | | | |
| Detachable | Detachable Cap catch. Easy Mounting Design. | | | | | | | | | | |
| Specifications | | | | | | | | | | | |
| Stainless St | eel | 304 Gı | rade | | | | | | | | |
| Dimension | s | | | | Cut out | Din | nensi | ons | | | |
| L 15.2 cm | D N/ | 'A cm | H 25.4 | cm | L N/A c | m | D N/ | 'A cm | Н | N/A cm | |
| CTN Lengt | CTN Length 0.69 M | | | | | | CTN Height 0.19 | | | | |
| CTN Width | CTN Width 0.29 M | | | | | | s CTN Weight 11 Kg 12 | | | | |

SINKS

A European Style Sink Range, now entirely in SS316

39

| Stainles | s S | teel S | Sink: | Sm | all | #2238 | 39 | | | |
|----------------|--------|----------|------------|------|------------|---------|------|--------|-----------|----|
| 1.2mm 316 Gr | ade S | tainless | Steel. | | | | | | | |
| Hot and Cold | Single | Lever V | later Fauc | cet. | | | | | | |
| Overflow with | drain. | | | | | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | I | 316 Gra | ade | | | | | | | |
| Dimensions | | | | | Cut out Di | mension | s | | | |
| L 37.8 cm | D 42 | .9 cm | H 19.9 c | m | L 36 cm | | D 41 | cm | H 21.0 cr | n |
| CTN Length | | | 0.44 | Mts | CTN Heig | ht | | | 0.35 Mt | s |
| CTN Width | | | 0.48 | Mts | CTN Weig | ht | | 8.00 K | g 1 F | cs |





| Stainles | s S | teel S | Sink: | Lar | ge | #2239 | 91 | | | |
|----------------|--------|----------|-----------|------|------------|---------|------|-------|----|---------|
| 1.2mm 316 Gr | rade S | tainless | Steel. | | | | | | | |
| Hot and Cold | Single | Lever W | later Fau | cet. | | | | | | |
| Overflow with | drain. | | | | | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | el | 316 Gra | ıde | | | | | | | |
| Dimensions | | | | | Cut out Di | mension | s | | | |
| L 48.3 cm | D 45 | cm | H 20cm | | L 46 cm | | D 43 | .3 cm | Н: | 21 cm |
| CTN Length | | | 0.50 | Mts | CTN Heig | ht | | | 0. | .33 Mts |
| CTN Width | | | 0.55 | Mts | CTN Weig | ht | | 10 K | .g | 1 Pcs |








DOORS

Utilise your kitchen structure for Storage

40

| 76cm Dou | uble Do | oor | | #33568 | | |
|------------------|----------------|-----------------|-------------|----------|------|-----------|
| 1.6mm Gauge S | tainless Ste | el Construction | | | | |
| Double Walled. I | Internal liner | #74000 not inc | luded. | | | |
| For Maximum St | torage unde | r your 4 Burner | Grill. | | | |
| Specifications | | | | | | |
| Stainless Steel | 304 Gra | ade | | | | |
| Dimensions | | | Cut out Dir | mensions | | |
| L 83.8 cm | 4.9 cm | H 55.7 cm | L 79.0 cm | n D 5.8 | cm | H 50.5 cm |
| CTN Length | | 0.87 Mts | CTN Heig | ht | | 0.08 Mts |
| CTN Width | | 0.59 Mts | CTN Weig | ht | 9 Kg | 1 Pcs |










| 97cm Do | oub | le Do | or | | | #34 | 1000 |) | | |
|----------------|----------|-----------|------------|---------|-------------|---------|-------|---------|-----------|----|
| 1.6mm Gauge | Stainl | ess Ste | el Constru | uction | | | | | | |
| Double Walled | I. Inter | nal liner | #74100 r | not inc | luded. | | | | | |
| For Massive S | torage | under y | our 5 Bu | rner G | irill. | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | ı | 304 Gra | ade | | | | | | | |
| Dimensions | | | | | Cut out Dir | nens | ions | | | |
| L 102.9 cm | D 4.9 | cm | H 55.7 | cm | L 98.0 cm | 1 | D 5.8 | cm | H 50.5 cr | m |
| CTN Length | Mts | CTN Heig | ht | | | 0.08 Mt | S | | | |
| CTN Width | | | 0.59 | Mts | CTN Weigl | ht | | 10.5 Kg | 1 F | cs |





VENTED DOORS

DOORS

Allows for safe ventilation of your Outdoor Kitchen



| Single Vented | l Door | | | | | #89980 | | | |
|----------------|---------|----------|------------|---------|--------------|------------|--------|-------|-------|
| 304 Grade 1.6 | mm G | auge, S | tainless S | Steel C | Construction | , Double V | Valled | | |
| Access Door f | or stor | age of p | ropane ta | ank or | gas lines | | | | |
| New Stylish Ve | ented I | Doors to | Store yo | ur Ga | s Bottle | | | | |
| Specifications | | | | | | | | | |
| Stainless Stee | ı | 304 Gra | ade | | | | | | |
| Dimensions | | | | | Cut out Dir | mensions | | | |
| L 45.4 cm | D 4.8 | 3 cm | H 55.8 | cm | L 40 cm | D 5.8 | 3 cm | H 50. | .5 cm |
| CTN Length | | | 0.61 | Mts | CTN Heig | ht | | 0.09 |) Mts |
| CTN Width | | | 0.38 | Mts | CTN Weig | ht | 5 K | g | 1 Pcs |

| 76cm Vented | Doubl | e Door | | | #44570 |) | |
|----------------|---------|----------|----------------|--------------|-------------|---------|-----------|
| 304 Grade 1.6 | mm G | auge, S | tainless Steel | Construction | n, Double V | Valled. | |
| Access Door f | or stor | age of p | ropane tank o | r gas lines. | | | |
| New Stylish Ve | ented I | Doors to | Store your G | as Bottle. | | | |
| Specifications | | | | | | | |
| Stainless Stee | l | 304 Gra | ade | | | | |
| Dimensions | | | | Cut out Di | mensions | | |
| L 83.8 cm | D 4.9 | cm | H 55.7 cm | L 79.0 cr | n D 5.8 | 3 cm | H 50.5 cm |
| CTN Length | | | 0.78 Mts | CTN Heig | ht | | 0.09 Mts |
| CTN Width | | | 0.58 Mts | CTN Weig | ht | 8.5 Kg | 1 Pcs |





COMPONENTS

VENTED DOORS




| Single A | ссе | ss V | ented D | oor | #89977 | , | | |
|-----------------|----------|-----------|-------------------|--------------|------------|-------|-----------|----|
| 1.6mm Gauge | Stainl | ess Ste | el Construction | 1. | | | | |
| Double Walled | l. Allow | s for sa | fe ventilation of | f your Outdo | or kitchen | | | |
| Ideeal for Fire | Tables | 3. | | | | | | |
| Specifications | | | | | | | | |
| Stainless Stee | 1 | 304 Gra | ıde | | | | | |
| Dimensions | | | | Cut out Di | mensions | | | |
| L 54.2 cm | D 4.9 | cm | H 55.7 cm | L 40.0 cm | n D 5. | B cm | H 49.6 ci | m |
| CTN Length | | | 0.48 Mts | CTN Heig | ht | | 0.08 Mt | ts |
| CTN Width | | | 0.60 Mts | CTN Weig | ht | 4.5 K | (g 1 F | cs |

| Large Vo | ertic | al V | ented | l Do | oor | #8 | 9978 | | | |
|--|----------------|---------|--------|------|------------|-----|-------|--------------|-----------|--|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | | | |
| Vented Gas Bottle Door. Allows for safe ventilation of your Outdoor kitchen. | | | | | | | | | | |
| For Maximum Bottle Height Storage. | | | | | | | | | | |
| Specifications | Specifications | | | | | | | | | |
| Stainless Stee | I | 304 Gra | ade | | | | | | | |
| Dimensions | | | | | Cut out Di | men | sions | | | |
| L 45.2 cm | D 4.9 | cm | H 77.5 | cm | L 40.0 cn | n | D 5.8 | 3 cm | H 71.5 cm | |
| CTN Length | | | 0.80 | Mts | CTN Heig | ht | | | 0.08 Mts | |
| CTN Width | | | 0.50 | Mts | CTN Weig | ht | | 5.5 Kg 1 Pcs | | |



DRAWERS





DRAWERS

43



| Gas Tan | k/Tı | ash | Drawer | | #56825 | | | |
|---|--------------------|-----------------------------|-----------|-------------|---------|---------|-----|--------|
| 1.6mm Gauge Stainless Steel Construction. Storage for Propane Tank/Trash Can. | | | | | | | | |
| Enclosed Slide-Out Drawer - Soft Closing System. Ventilated. | | | | | | | | |
| A Versatile Component for your Outdoor Kitchen | | | | | | | | |
| Specifications | | | | | | | | |
| Stainless Stee | el | 304 Gr | ade | | | | | |
| Dimensions | | | | Cut out Dir | mensior | ıs | | |
| L 41.9 cm | D 40 | .6cm | H 55.9 cm | L 36.4 cm | n D | 41.1cm | H 4 | 9.0 cm |
| CTN Length | CTN Length 0.45 Mt | | | | | ght 0.4 | | 16 Mts |
| CTN Width | | 0.60 Mts CTN Weight 13.5 Kg | | | Kg | 1 Pcs | | |

| Double | Dra | wer | | | ; | #5698 | 5 | |
|--|-----|----------|--------|----|-------------|----------|--------|-----------|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | |
| Enclosed Drawer - Soft Closing System. St orage space. | | | | | | | | |
| When you just need Utensil Drawers. | | | | | | | | |
| Specifications | | | | | | | | |
| Stainless Stee | l | 304 Gra | de | | | | | |
| Dimensions | | | | | Cut out Dim | nensions | | |
| L 35.4 cm | D 5 | 2.1 cm | H 53.3 | cm | L 32.5 cm | D 50 | 3.0 cm | H 49.0 cm |
| CTN Length | | 0.56 Mts | | | CTN Heigh | nt | | 0.52 Mts |
| CTN Width | | 0.38 Mts | | | CTN Weigh | ght 20 K | | 1 Pcs |





| Triple D | raw | er | | | | # | 58110 |) | | |
|--|---------|---------------------------|-----------|--------|-------|----------|----------|------|----|--------|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | | | |
| Enclosed Drav | ver - S | oft Clos | ing Syste | em. St | orage | space. | | | | |
| Maximise the Space in your Outdoor Kitchen | | | | | | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | 1 | 304 Gra | ade | | | | | | | |
| Dimensions | | | | | Cut | out Dime | nsions | | | |
| L 53 cm | D | 40cm | H 61 | lcm | L | 46.5cm | D | 42cm | Н | 62.5cm |
| CTN Length | Mts | CTN | l Height | | | 0. | .71. Mts | | | |
| CTN Width | | 0.44 Mts CTN Weight 21 Kg | | | | | 1 Pcs | | | |
| CTN Width | | | 0.44 | Mts | CTN | Weight | | 21 K | ίg | 1 Pcs |



DRAWERS


44

| Single D | rav | ver | | | | #09970 | | | |
|---|---------|----------|----------|-------|------------|------------|--------------|-----|-----------|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | | |
| Slide-Out Drav | ver - S | oft Clos | ing Syst | em. S | torage Spa | ce for you | r grilling a | acc | essories. |
| Place this conveniently under your grill. | | | | | | | | | |
| Specifications | | | | | | | | | |
| Stainless Stee | el | 304 Gra | de | | | | | | |
| Dimensions | | | | | Cut out Di | mensions | | | |
| L 64.8cm | D 51 | .8 cm | H 15.2 | 2 cm | L 60.0 cn | n D 5 | 2.2 | Н | 10.2 cm |
| CTN Length 0.67 Mts CTN Height | | | | | | 0.18 Mts | | | |
| CTN Width | | | 0.58 | Mts | CTN Weig | ht | 8.7 Kg 1 Pcs | | |





| Large S | ingl | e Dra | awer | | | #0 | 9980 |) | | |
|---|--|----------------------------|----------|--------|-------------|-----------|-------|--------------|-------------|--|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | | | |
| Slide-Out Drav | wer - S | oft Clos | ing Syst | em. St | torage Spac | e for | your | grilling a | ccessories. | |
| For your oversized grilling toys. | | | | | | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | el | 304 Gra | ade | | | | | | | |
| Dimensions | | | | | Cut out Dir | mens | sions | | | |
| L 68.3cm | L 68.3cm D 60.2 cm H 29.3 cm L 63.0 cm D 60.2 cm H 25.5 cm | | | | | H 25.5 cm | | | | |
| CTN Length | | 0.71 Mts CTN Height 0.36 I | | | | 0.36 Mts | | | | |
| CTN Width | | | 0.65 | Mts | CTN Weig | ht | | 18.5 Kg 1 Pc | | |





DOOR / DRAWERS COMBOS


Make the most of your space with these convenient combos to match your grill size.

| 76cm Do | oor/ | Drav | ver C | oml | bo | | #2587 | ' 6 |
|---|------|------------------------------|--------|-----|---------------------------|----------|-------|------------|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | |
| Fully Enclosed Drawer Components - Soft Closing System. | | | | | | | | |
| Double Lined Doors. Internal liner #89973 not included. | | | | | | | | |
| Specifications | | | | | | | | |
| Stainless Stee | I | 304 Gra | ade | | | | | |
| Dimensions | | | | | Cut out Dimer | nsions | | |
| L 83.8 cm | D 52 | .1 cm | H 55.9 | cm | L 79.0 cm | D 52 | .8 cm | H 50.5 cm |
| CTN Length | | 0.87 Mts CTN Height 0.59 Mts | | | | 0.59 Mts | | |
| CTN Width | | | 0.57 | Mts | Mts CTN Weight 26 Kg 1 Po | | | g 1 Pcs |





| Gas Tank D | rawe | er/Door c | ombo | #65784 | | | | |
|---|---------|-------------------------------|---------------|--------|-------|-----------|--|--|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | |
| Single Access door and Ventilated Trash and Propane Drawer. | | | | | | | | |
| Soft Closing System. Internal liner #89973 not included. | | | | | | | | |
| Specifications | | | | | | | | |
| Stainless Steel | 304 Gra | ade | | | | | | |
| Dimensions | | | Cut out Dimen | sions | | | | |
| L 83.8 cm D 40 | .6 cm | H 55.9 cm | L 79.0 cm | D 41 | .0 cm | H 50.5 cm | | |
| CTN Length | | 0.46 Mts | CTN Height | | | 0.59 Mts | | |
| CTN Width | | 0.57 Mts CTN Weight 20.5 Kg 1 | | | | | | |







COMPONENTS

OTHERS

| Paper To | owe | I Dis | pens | er | | #73624 | ļ | |
|---|-------------------|----------|--------|----|-------------|----------|-----------|-----------|
| 1.6mm Gauge Stainless Steel Construction. | | | | | | | | |
| Holds one standard Roll of Paper Towels. Pull-Out Rail. | | | | | | | | |
| A clean Space for your Towel Roll. | | | | | | | | |
| Specifications | | | | | | | | |
| Stainless Stee | el | 304 Gra | de | | | | | |
| Dimensions | | | | | Cut out Din | nensions | | |
| L 27.9 cm | D 28 | .3 cm | H 40.6 | cm | L 23.6 cm | D 29 | .3 cm F | 4 36.3 cm |
| CTN Length | CTN Length 0.42 M | | | | | ht | | 0.33 Mts |
| CTN Width | | 0.31 Mts | | | CTN Weigh | nt | 7.20 Kg | 1 Pcs |





| | | | | | | | | | _ | |
|---|-----------------------------|---------|------------|---------|------------|------|-----------------|--------------|-----|----------|
| Drop-In | Cut | ting | Board | d | | #6 | 6007 | , | | |
| 1.6mm Gauge Stainless Steel Construction. Syphon not included | | | | | | | | | | |
| Removable St | ainless | Steel L | id, Hard F | Plastic | Cutting Bo | ard. | Drain | in Botto | m c | of Unit. |
| Drop a Cutting Board in your Kitchen Top. | | | | | | | | | | |
| Specifications | | | | | | | | | | |
| Stainless Stee | I | 304 Gra | de | | | | | | | |
| Dimensions | | | | | Cut out Di | men | sions | | | |
| L 32.1 cm | L 32.1 cm D 44.0 cm H 6.7cm | | | | | n | D 44.5 cm H 8.4 | | | 8.4 cm |
| CTN Length | | | 0.33 | Mts | CTN Heig | ht | ıt | | (| 0.14 Mts |
| CTN Width | | | 0.50 | Mts | CTN Weig | ht | | 5.90 Kg 1 Pc | | |

FINISHING FRAMES



| 46 cm Bar C | me i | #97624 | | | | |
|---|----------|------------|------|-------|--|--|
| 304 Grade Stainless Steel Construction. | | | | | | |
| Designed for: 46cm Bar Caddy. | | | | | | |
| CTN Length | 0.59 Mts | CTN Height | 0.11 | Mts | | |
| CTN Width | 0.29 Mts | CTN Weight | Kg | 1 Pcs | | |

| 76 cm Bar C | 76 cm Bar Centre Frame | | | | | | |
|---|---|------------|---------|-------|--|--|--|
| 304 Grade Stainless Steel Construction. | | | | | | | |
| Designed for: 76cm | Designed for: 76cm Bar Caddy. | | | | | | |
| CTN Length | CTN Length 1.11 Mts CTN Height 0.11 Mts | | | | | | |
| CTN Width | 0.26 Mts | CTN Weight | 1.97 Kg | 1 Pcs | | | |

FINISHING FRAMES

Those extra finishing touches to all our grills and components.

| 34cm Finishing Frame # | | | #93007 | | |
|---|----------|------------|---------|-------|--|
| 304 Grade Stainless Steel Construction. | | | | | |
| Designed for: Double Side Burner #30008/9CE & Pro Side Burner #60018/9CE. | | | | | |
| CTN Length | 0.39 Mts | CTN Height | 0.05 | Mts | |
| CTN Width | 0.24 Mts | CTN Weight | 1.13 Kg | 1 Pcs | |



| 60cm Grill Frame | | #9700 | 1 | | |
|----------------------|---|------------|------|------|-------|
| 304 Grade Stainless | 304 Grade Stainless Steel Construction. | | | | |
| Designed for: Planch | a Griddle #97008 | 9CE. | | | |
| CTN Length | 0.8 Mts | CTN Height | | 0.07 | Mts |
| CTN Width | 0.25 Mts | CTN Weight | 1.25 | Kg | 1 Pcs |

| 97cm Grill Frame | | | #58726 | | |
|---|-------------------|--------------------|----------------|-------|--|
| 304 Grade Stainless Steel Construction. | | | | | |
| Designed for: Brahm | a Grill #57568/90 | E and Renegade Gri | II #32368/9CE. | | |
| CTN Length | 1.11 Mts | CTN Height | 0.08 | Mts | |
| CTN Width | 0.26 Mts | CTN Weight | 1.97 Kg | 1 Pcs | |

| 64cm Grill Frame | | #6 | 6942 | 8 | | | |
|---|-------------------|------------|------|------|------|------|----|
| 304 Grade Stainless Steel Construction. | | | | | | | |
| Designed for: Steer | Grill #69008/9CE. | | | | | | |
| CTN Length | 0.78 Mts | CTN Height | | | 0.07 | Mts | |
| CTN Width | 0.25 Mts | CTN Weight | | 1.50 | Kg | 1 Pc | cs |

| 44.C. a.m. O.v.ill Evanso #70000 | | | | | | | |
|---|--|------------|----------|-------|--|--|--|
| 116 cm Grill Frame | | | #720 | 80 | | | |
| 304 Grade Stainless Steel Construction. | | | | | | | |
| Designed for: Diablo | Designed for: Diablo Grill #62648/9CE. | | | | | | |
| CTN Length | 1.11 Mts | CTN Height | 0.08 Mts | | | | |
| CTN Width | 0.26 Mts | CTN Weight | 1.97 Kg | 1 Pcs | | | |

| 76cm Grill Frame | | | 49328 | |
|---|-------------------|--------------|---------|-------|
| 304 Grade Stainless Steel Construction. | | | | |
| Designed for: Angus | , Lonestar and Ou | tlaw Grills. | | |
| CTN Length | 0.92 Mts | CTN Height | 0.07 | Mts |
| CTN Width | 0.26 Mts | CTN Weight | 1.80 Kg | 1 Pcs |

| 120 cm Grill Frame | | | # 743 | 327 | | |
|---|----------|------------|----------|-------|--|--|
| 304 Grade Stainless Steel Construction. | | | | | | |
| Designed for: 7 Burner Grill Head #18248/9CE. | | | | | | |
| CTN Length | 1.31 Mts | CTN Height | 0.08 Mts | | | |
| CTN Width | 0.26 Mts | CTN Weight | 2.10 Kg | 1 Pcs | | |

| | Refrigerator Frame | | | #99935 | | |
|---|---|----------|------------|--------|--------|--|
| | 304 Grade Stainless Steel Construction. | | | | | |
| | Designed for: Standard Refrigerator #11002CE. | | | | | |
| | CTN Length | 0.95 Mts | CTN Height | 0.28 | Mts | |
| | CTN Width | 0.65 Mts | CTN Weight | 19 Kg | 10 Pcs | |
| - | | | | | | |

| Outdoor Fridge / Kegorator Frame #13900/#17999 | | | | | |
|--|-------------------|--------------------|------------|----------|--|
| 304 Grade Stainless Steel Construction. | | | | | |
| Designed for: Outdoo | or Fridge, Double | Drawer Fridge, and | Kegorator. | | |
| CTN Length | 0.98 Mts | CTN Height | 0.28 | 0.28 Mts | |
| CTN Width | 0.64 Mts | CTN Weight | 19 Kg | 10 Pcs | |





INTERNAL DOOR LINERS

Keep your storage clean and tidy with our lining pantries.


48

| Internal Line | r Horizont | al Door # | 89972 | | |
|---|-------------------|------------|-------|----------|--|
| Fits Horizontal Access Door #89970 with adjustable shelf. | | | | | |
| 304 grade stainless st | eel construction. | | | | |
| CTN Length | 0.66 Mts | CTN Height | | 0.58 Mts | |
| CTN Width | 0.47 Mts | CTN Weight | 15 Kg | 1 Pcs | |





| Inte | rnal Line | r Vertical [| Door/Combo # | 89973 | | |
|---------|---|--------------------|--------------|-------|----------|--|
| Fits #8 | Fits #89975 / #98552 / #65784 / #25876 with adjustable shelf. | | | | | |
| 304 gr | ade stainless s | teel construction. | | | | |
| CTN I | Length | 0.57 Mts | CTN Height | | 0.58 Mts | |
| CTN V | Vidth | 0.47 Mts | CTN Weight | 12 Kg | 1 Pcs | |







| Internal Line | r 97cm Do | uble Door # | 74100 | | | |
|---|-----------|-------------|-------|----------|--|--|
| Fits 97cm Double Door #34000 with adjustable shelf. | | | | | | |
| 304 grade stainless steel construction. | | | | | | |
| CTN Length | 1.05 Mts | CTN Height | | 0.58 Mts | | |
| CTN Width | 0.56 Mts | CTN Weight | 21 Kg | 1 Pcs | | |

| Internal Liner 97cm Combo #55877 | | | | | | |
|---|-------------------|------------|-------|----------|--|--|
| Fits 97cm Door / Drawer Combo #55875 with adjustable shelf. | | | | | | |
| 304 grade stainless st | eel construction. | | | | | |
| CTN Length | 0.55 Mts | CTN Height | | 0.59 Mts | | |
| CTN Width | 0.57 Mts | CTN Weight | 12 Kg | 1 Pcs | | |



ISLAND VENTS

No Outdoor Kitchen should be without one



| Venting Package | #43500 | | | | | | | |
|--------------------|---|-----|--------|-----|------|---|-----|--|
| Venting Screen of | Venting Screen only | | | | | | | |
| Made of stainless | Made of stainless steel to resist rust and corrosion | | | | | | | |
| Adds cross-ventila | Adds cross-ventilation air flow to outdoor kitchen designs. | | | | | | | |
| Length | 0.35 | Mts | Height | | 0.17 | | Mts | |
| Width | 0.02 | Mts | Weight | 0.5 | Kg | 1 | Pcs | |

INSULATED GRILL JACKETS

Use our Jackets to Ensure Protection to your Wooden Build

| Insulated Grill Jac | 17017 | | | | | |
|------------------------|--|------------|----------|-------|--|--|
| For 76 cm Bull Grills. | | | | | | |
| Required only if the | Required only if the kitchen structure is combustible. | | | | | |
| CTN Length | 1.02 Mts | CTN Height | 0.29 Mts | | | |
| CTN Width | 0.63 Mts | CTN Weight | 24.3 Kg | 1 Pcs | | |

| Insulated Grill Jac | #4 | 7018 | | | | | |
|--|------|------|------------|---------|---|-----|--|
| For 97 cm Bull Grills. | | | | | | | |
| Required only if the kitchen structure is combustible. | | | | | | | |
| CTN Length | 1.2 | Mts | CTN Height | 0.30 | | Mts | |
| CTN Width | 0.62 | Mts | CTN Weight | 27.6 Kg | 1 | Pcs | |



EXTRACTOR HOOD

Because you need to Ventilate your Enclosed Grilling Area



| _ | | | | | | | | | | | | |
|---|--------------------------------|-------|----------|-----------|-------|--------------------|--------|------|-------|-------|-----|-----|
| | Extractor Hood for 76cm Grills | | | | | | #6600 | 9CE | | | | |
| | 304 Stainle | ss St | eel Co | nstructio | on. S | Sealed IP | X 4 LE | D Li | ght F | ittir | ng. | |
| | Wall Mount | ing H | ood w | ith Extra | ctor | Fan & S | peed C | onto | ller. | | | |
| | Specifications | | | | | | | | | | | |
| | Flow 700 m | ¹³/h | Power | 0.184k | W | 220V, 50Hz, 1.8A | | | | | | |
| | Dimensions | 3 | | | | Cut out Dimensions | | | | | | |
| | L 100cm | D 70 | cm | H 43cm | 1 | L N/A | D | N/A | | ΗN | I/A | |
| | CTN Lengt | th | 1.1 | 1.10 Mts | | CTN He | eight | | 0.8 | 8 | | Mts |
| | CTN Width | | 0.51 Mts | | | CTN Weight | | | 5 K | g | 1 | Pcs |
| | | | | | | | | | | | | |

| Extractor H | Extractor Hood for 97cm Grills | | | | | #6 | 60980 | CE | | | |
|-------------------------|--------------------------------|--------|-----------|--------|--------------------|-------|-------|--------|-------|--------|-----|
| 304 Stainles | s St | eel Co | nstructi | ion. S | Sealed IP | X 4 | LED | Ligh | ıt Fi | tting. | |
| Wall Mounti | ng H | ood w | ith Extra | actor | Fan & S | pee | d Co | ntroll | er. | | |
| Specification | S | | | | | | | | | | |
| Flow 700 m ³ | 3/h | Power | 0.184k | (W | 220V, 50Hz, 1.8A | | | | | | |
| Dimensions | | | | | Cut out Dimensions | | | | | | |
| L 120 cm | D 70 | cm | H 43cr | n | L N/A | | D N/ | Α | H | N/A | |
| CTN Length | h | 1.3 | 1.30 Mts | | CTN He | eight | | C | 0.88 | | Mts |
| CTN Width | | 0. | 0.51 Mts | | CTN Weight | | 75 | Κg | 1 | Pcs | |







WITH EVERY OUTDOOR KITCHEN PURCHASED YOU GET:

Care and Maintenence Tool Box Waterproof & Breathable Sumbrella Surlast Cover





. . . AND WE WILL BRING YOUR OUTDOOR KITCHEN TO YOUR KERB SIDE



ALL YOU HAVE TO DO IS PLUG & PLAY




POWER Q - STANDARD

52

| Standard Features | |
|--|---|
| #31006 | Standard ✓ or N/A × |
| Grill Type as Standard | Angus #47628/9CE |
| Standard Fridge #11002CE | ✓ |
| Stucco Base Standard | ✓ |
| Tile Top 30cm x 30cm with Bullnose | ✓ |
| Horizontal Access Door #89970 | ✓ |
| Power outlet & Switch | ✓ |
| Sink & Faucet | × |
| Structure Dimensions | |
| Base Footprint Size | 176 x 70 cm |
| Top Size | 195 x 79 cm |
| Upgrades | |
| Grill Upgrades/Downgrades within the same size kitchen structure | Steer #69008CE Bison #88787CE Lonestar #87048/9CE |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33006 |
| Upgrade from Tile Top To Solid Gres Coverlam | #43004 |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 |
| Optional | |
| Grill Frame optional | #49328 |
| Side Burner optional | #60008/9CE |
| Bar Caddy optional (if fridge is removed) | #97623 / #85624 |
| Cutting Board optional #66007 | × |
| Bottle Opener optional #66006 | ✓ |
| Large vertical side door | #89978 |
| Warranty Details | |
| Island Structure | 2 years |
| Kitchen Top | 2 years |
| Gas Hose | *2 years |
| *As per international Gas Safety Regulations | *must replace every 2 years |
| Packing Dimensions | |
| Wooden Crate Length | 220 cm |
| Wooden Crate Width | 90 cm |
| Wooden Crate Height | 200 cm |
| Wooden Crate Cube | 3.96 m ³ |
| | Stucco 395 Kg |

This Power-Q Outdoor Kitchen is a wonderful addition to any smaller backyard or patio area. It comes standard with a refrigerator to keep your beverages and food cold for all your entertainment needs, while the counter space is great for preparing your favourite recipes.





POWER Q - UPGRADED





| TOP | Solid Gres - Titan Antracita |
|------|------------------------------|
| BASE | Solid Gres - Tempo Antracita |

| Upgrades | Item |
|----------|--------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #69428 | 64cm Grill Frame |
| #69008CE | Steer Grill |

| TOP | Solid Gres - Bluestone Negro |
|------|------------------------------|
| BASE | Standard Stucco - Blue Grey |

| Upgrades | Item |
|----------|---------------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #17900CE | Premium Outdoor Rated Kegorator |
| #49328 | 76cm Grill Frame |
| #89978 | Vented Side Door |





| Upgrades | Item |
|----------|------------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #49328 | 76cm Grill Frame |
| #13700CE | Premium Outdoor Rated Fridge |



| TOP | Solid Gres - Titan Antracita |
|------|------------------------------|
| BASE | Solid Gres - Titan Antracita |

| Upgrades | Item |
|----------|--------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #49328 | 76cm Grill Frame |
| #89978 | Vented Side Door |





| Standard Features | |
|--|---|
| #31010 | Standard ✓ or N/A × |
| Grill Type as Standard | Angus #47628/9CE |
| Standard Fridge #11002CE | ✓ |
| Stucco Base Standard | ✓ |
| Tile Top 30cm x 30cm with Bullnose | ✓ |
| Horizontal Access Door #89970 | ✓ |
| Power outlet & Switch | ✓ |
| Sink & Faucet | ✓ |
| Structure Dimensions | |
| Base Footprint Size | 220x 70 cm |
| Top Size | 243 x 79 cm |
| Upgrades | |
| Grill Upgrades/Downgrades within the same size kitchen structure | Bison #88787CE Outlaw #26038/9CE Lonestar #87048/9CE |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33006 |
| Upgrade from Tile Top To Solid Gres Coverlam | #43004 |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 |
| Optional | |
| Grill Frame optional | #49328 |
| Side Burner optional | #60008/9CE |
| Bar Caddy optional (if fridge or sink are removed) | #97623 / #85624 |
| | 110702071100021 |
| Cutting Board optional #66007 | × |
| Bottle Opener optional #66006 | ✓ |
| Large vertical side door | #89978 |
| Warranty Details | |
| Island Structure | 2 years |
| Kitchen Top | 2 years |
| Gas Hose | *2 years |
| *As per international Gas Safety Regulations | *must replace every 2 years |
| Packing Dimensions | |
| Wooden Crate Length | 260 cm |
| Wooden Crate Width | 95 cm |
| Wooden Crate Height | 200 cm |
| Wooden Crate Cube | 4.94 m³ |
| Complete Crated Weight | Stucco 420 Kg Rock 550 Kg |

ODK - STANDARD

This Outdoor Kitchen is one of our first and most complete outdoor kitchens, provides a backyard entertainment centre and the space to handle all of your outdoor grilling needs. This is the ultimate grilling & entertaining station.







ODK - UPGRADED





| TOP | Solid Gres - Titan Antracita |
|------|------------------------------|
| BASE | Solid Gres - Tempo Antracita |

| Upgrades | Item | |
|----------|------------------|--|
| #49328 | 76cm Grill Frame | |
| #33568 | 76cm Double Door | |
| #56985 | Double Drawer | |
| #13700CE | Premium Fridge | |

| TOP | Solid Gres - Onice Honey |
|------|-------------------------------|
| BASE | Solid Gres - Travertino White |

| Upgrades | Item | |
|------------|----------------------------|--|
| #49328 | 76cm Grill Frame | |
| #25876 | 76cm Door/Drawer Combo | |
| #13700CE | Premium Fridge | |
| #22391CE | Premium Large Sink | |
| #60008/9CE | Drop-In Single Side Burner | |





| TOP | Tile Top - Boulevard Andrassy | |
|------|-------------------------------|--|
| BASE | Standard Stucco - Mesa Tan | |

| Upgrades | Item |
|----------|------------------|
| #49328 | 76cm Grill Frame |
| #33568 | 76cm Double Door |

| TOP | Solid Gres - Moma Antracita | |
|------|-----------------------------|--|
| BASE | Rock - Grey Rock | |

| Upgrades | Item |
|----------|----------------------------|
| #49328 | 76cm Grill Frame |
| #25876 | 76cm Door/Drawer Combo |
| #66006 | Bottle Opener & Catch Tray |




OUTDOOR KITCHENS

| Standard Features | |
|--|---|
| #31014 | Standard ✓ or N/A × |
| Grill Type as Standard | Angus #47628/9CE |
| Standard Fridge #11002CE | ✓ |
| Stucco Base Standard | ✓ |
| Tile Top 30cm x 30cm with Bullnose | ✓ |
| Horizontal Access Door #89970 | ✓ |
| Power outlet & Switch | ✓ |
| Sink & Faucet | ✓ |
| Structure Dimensions | |
| Base Footprint Size | 220x 70 cm |
| Top Size | 260 x 109 cm |
| Upgrades | |
| Grill Upgrades/Downgrades within the same size kitchen structure | Bison #88787CE Outlaw #26038/9CE Lonestar #87048/9CE |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33006 |
| Upgrade from Tile Top To Solid Gres Coverlam | #43004 |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 |
| Add SS Lining with adjustable | Double Door Lining #74000 |
| shelf for above Doors | Combo Lining #89973 |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 |
| Optional | |
| Grill Frame optional | #49328 |
| Side Burner optional | #60008/9CE |
| Bar Caddy optional (if fridge or sink are removed) | #97623 / #85624 |
| Cutting Board optional #66007 | × |
| Bottle Opener optional #66006 | ✓ |
| Large vertical side door | #89978 |
| Warranty Details | |
| Island Structure | 2 years |
| Kitchen Top | 2 years |
| Gas Hose | *2 years |
| *As per international Gas Safety Regulations | *must replace every 2 years |
| Packing Dimensions | |
| Wooden Crate Length | 270 cm |
| Wooden Crate Width | 150 cm |
| Wooden Crate Height | 200 cm |
| Wooden Crate Cube | 8.1 m ³ |
| Complete Crated Weight | Stucco 550 Kg Rock 850 Kg |

ODK BBQ - STANDARD

The BBQ Outdoor Kitchen is perfect for grilling your favourite recipes. The "L" shaped BBQ design will become the centre of your outdoor cooking and entertainment.








IMAGE DISPLAYED CONTAINS UPGRADED FEAUTURES

ODK BBQ - UPGRADED



| TOP | Solid Gres - Onice Honey |
|------|-------------------------------|
| BASE | Solid Gres - Travertino White |

| Upgrades | Item |
|------------|------------------------------------|
| #33568 | 76cm Double Door |
| #13700CE | Premium Outdoor Rated Refrigerator |
| #60008/9CE | Drop-In Single Side Burner |
| #72000CE | Rockford Fosgate Bluetooth System |
| #49328 | 76cm Grill Frame |



| TOP | Porcelain Tile - Aragon Marango |
|------|---------------------------------|
| BASE | Rock - Golden Harvest |

| Upgrades | Item |
|------------|------------------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #13700CE | Premium Outdoor Rated Refrigerator |
| #60008/9CE | Drop-In Single Side Burner |
| #49328 | 76cm Grill Frame |
| #66006 | Bottle Opener |
| #72000CE | Rockford Fosgate Bluetooth System |




56


| Standard Features | |
|--|---|
| #31013M | Standard ✓ or N/A × |
| Grill Type as Standard | Angus #47628/9CE |
| Standard Fridge #11002CE | ✓ |
| Stucco Base Standard | ✓ |
| Tile Top 30cm x 30cm with Bullnose | ✓ |
| Horizontal Access Door #89970 | ✓ |
| Power outlet & Switch | ✓ |
| Sink & Faucet | ✓ |
| Structure Dimensions | |
| Base Footprint Size | 280x 70 cm |
| Top Size | 300 x 80 cm |
| Upgrades | |
| Grill Upgrades/Downgrades within the same size kitchen structure | ALL GRILLS |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33006 |
| Upgrade from Tile Top To Solid Gres Coverlam | #43004 |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 |
| Optional | |
| Grill Frame optional | #49328 |
| Side Burner optional | #60008/9CE |
| Bar Caddy optional (if fridge or sink are removed) | #97623 / #85624 |
| Cutting Board optional #66007 | ✓ |
| Bottle Opener optional #66006 | ✓ |
| Large vertical side door | #89978 |
| Warranty Details | |
| Island Structure | 2 years |
| Kitchen Top | 2 years |
| Gas Hose | *2 years |
| *As per international Gas Safety Regulations | *must replace every 2 years |
| Packing Dimensions | |
| Wooden Crate Length | 320 cm |
| Wooden Crate Width | 95 cm |
| Wooden Crate Height | 200 cm |
| Wooden Grate Cube | 6.08 m ³ |
| Complete Crated Weight | Stucco 550 Kg Rock 800 Kg |

ODK 3Mts - STANDARD

This Outdoor Kitchen is one of our first and most complete outdoor barbecue kitchens, provides a backyard entertainment centre and the space to handle all of your outdoor grilling needs. This is the ultimate grilling & entertaining station.







ODK 3Mts - UPGRADED



| TOP | Solid Gres - Supremo Pulido |
|------|-------------------------------|
| BASE | Solid Gres - Travertino White |

| Upgrades | Item |
|------------|-----------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #56985 | Double Drawer |
| #22391 | Large Sink |
| #30008/9CE | Slide in Double Side Burner |
| #49328 | 76cm Grill Frame |
| #93007 | 34cm Finishing Frame |



| TOP | Solid Gres - Moma Antracita |
|------|-----------------------------|
| BASE | Solid Gres - Moma Antracita |

| Upgrades | Item |
|------------|------------------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #13700CE | Premium Outdoor Rated Refrigerator |
| #56985 | Double Drawer |
| #30008/9CE | Slide in Double Side Burner |
| #66006 | Bottle Opener and Catch |
| #89976 | Right Swing Vertical Door |
| #49328 | 76cm Grill Frame |
| #93007 | 34cm Finishing Frame |



| TOP | Solid Gres - Supremo Pulido |
|------|-------------------------------|
| BASE | Solid Gres - Travertino White |

| Upgrades | Item |
|----------|------------------------------------|
| #25876 | 76cm Door / Drawer Combo |
| #13700CE | Premium Outdoor Rated Refrigerator |
| #56825 | Gas/Trash Drawer |
| #30008CE | Slide in Double Side Burner |
| #66006 | Bottle Opener and Catch |
| #49328 | 76cm Grill Frame |
| #93007 | 34cm Finishing Frame |
| #72000CE | Rockford Fosgate Bluetooth System |
| #89975 | Right Swing Vertical Door |
| #66124CE | Large Gas Pizza Oven |



| TOP | Solid Gres - Tempo Antracita |
|------|------------------------------|
| BASE | Solid Gres - Tempo Antracita |

| Upgrades | Item | | |
|----------|---------------------------|--|--|
| #55875 | 97cm Door / Drawer Combo | | |
| #89975 | Right Swing Vertical Door | | |
| #33568 | 76cm Double Door | | |
| #22391 | Large Sink | | |
| #62648CE | Diablo Grill | | |




| 0 | |
|--|---|
| Standard Features | |
| #31022 | Standard ✓ or N/A × |
| Grill Type as Standard | Angus #47628/9CE |
| Standard Fridge #11002CE | ✓ |
| Stucco Base Standard | ✓ |
| Tile Top 30cm x 30cm with Bullnose | ✓ |
| Horizontal Access Door #89970 | ✓ |
| Power outlet & Switch | ✓ |
| Sink & Faucet | × |
| Structure Dimensions | |
| Base Footprint Size | 189 x 177 cm |
| Top Size | 247 x 218 cm |
| Upgrades | |
| Grill Upgrades/Downgrades within the same size kitchen structure | Bison #88787CE Outlaw #26038/9CE Lonestar #87048/9CE |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33014 |
| Upgrade from Tile Top To Solid Gres Coverlam | #43010 |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 |
| Optional | |
| Grill Frame optional | #49328 |
| Side Burner optional | #60008/9CE |
| Bar Caddy optional (if fridge or sink are removed) | #97623 / #85624 |
| Cutting Board optional #66007 | ✓ |
| Bottle Opener optional #66006 | ✓ |
| Large vertical side door | #89978 |
| Warranty Details | ###################################### |
| Island Structure | 2 years |
| Kitchen Top | _ |
| Gas Hose | 2 years *2 years |
| *As per international Gas Safety Regulations | *must replace every 2 years |
| Packing Dimensions | mast replace every 2 years |
| | 220/150 om |
| Wooden Crate Length | 230/150 cm |
| Wooden Crate Width | 120/90 cm |
| Wooden Crate Height | 190/150 cm |
| Wooden Crate Cube | 7.27 m³ |
| Complete Crated Weight | Stucco 650 Kg Rock 1100 Kg |

JR - GOURMET Q

The Jr Gourmet Q - Outdoor Island Kitchen and its ample bar area can seat up to 4 people comfortably. Its smaller "L" shaped design allows for great outdoor entertainment or just simply creating your favourite recipes in a wonderful outdoor setting.








IMAGE DISPLAYED CONTAINS UPGRADED FEAUTURES

JR - GOURMET Q - UPGRADES



| TOP | Porcelain Tile - Aragon Marango |
|------|---------------------------------|
| BASE | Rock - Golden Harvest |

| Upgrades | Item |
|----------|------------------------------------|
| #13700CE | Premium Outdoor Rated Refrigerator |
| #49328 | 76cm Grill Frame |



| TOP | Porcelain Tile - Aragon Marango |
|------|---------------------------------|
| BASE | Rock- Grey Stone |

| Upgrades | Item | | |
|----------|------------------------------------|--|--|
| #25876 | 76cm Door / Drawer Combo | | |
| #13700CE | Premium Outdoor Rated Refrigerator | | |
| #49328 | 76cm Grill Frame | | |
| #66006 | Bottle Opener and Catch | | |




| Standard Features | | | |
|--|---|--|--|
| #31022 | Standard √ or N/A × | | |
| Grill Type as Standard | Angus #47628/9CE | | |
| Standard Fridge #11002CE | ✓ | | |
| Stucco Base Standard | ✓ | | |
| Tile Top 30cm x 30cm with Bullnose | ✓ | | |
| Horizontal Access Door #89970 | ✓ | | |
| Power outlet & Switch | ✓ | | |
| Sink & Faucet | ✓ | | |
| Structure Dimensions | | | |
| Base Footprint Size | 239 x 237 cm | | |
| Top Size | 280 x 260 cm | | |
| Upgrades | | | |
| Grill Upgrades/Downgrades within the same size kitchen structure | ALL GRILLS | | |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33015 | | |
| Upgrade from Tile Top To Solid Gres Coverlam | #43010 | | |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE | | |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 | | |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #25876 Trash/Door Combo #65784 | | |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 | | |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 | | |
| Optional | | | |
| Grill Frame optional | #49328 | | |
| Side Burner optional | #60008/9CE | | |
| Bar Caddy optional (if fridge or sink are removed) | #97623 / #85624 | | |
| Cutting Board optional #66007 | ✓ | | |
| Bottle Opener optional #66006 | ✓ | | |
| Large vertical side door | #89978 | | |
| Warranty Details | | | |
| Island Structure | 2 years | | |
| Kitchen Top | 2 years | | |
| Gas Hose | *2 years | | |
| *As per international Gas Safety Regulations | *must replace every 2 years | | |
| Packing Dimensions | | | |
| Wooden Crate Length | 270/180 cm | | |
| Wooden Crate Width | 110/90 cm | | |
| Wooden Crate Height | 200/165 cm | | |
| Wooden Crate Cube | 8.61 m ³ | | |
| Complete Crated Weight | Stucco 750 Kg Rock 1200 Kg | | |

GOURMET Q

The Gourmet Q Outdoor Island Kitchen is the largest of our islands. Its spacious bar area is perfect for a luxurious outdoor dining experience and ideal for entertaining. With its ample space for seating you can serve up your favourite grilling recipes in style.








IMAGE DISPLAYED CONTAINS UPGRADED FEAUTURES

| Standard Features | | | |
|--|--|--|--|
| #31099 | Standard √ or N/A × | | |
| Ovem Type as Standard | Large Wood Oven #66024 | | |
| Standard Fridge #11002CE | ✓ | | |
| Stucco Base Standard | ✓ | | |
| Tile Top 30cm x 30cm with Bullnose | ✓ | | |
| Horizontal Access Door #89970 | ✓ | | |
| Power outlet & Switch | × | | |
| Sink & Faucet | ✓ | | |
| Structure Dimensions | | | |
| Base Footprint Size | 220x 70 cm | | |
| Top Size | 243 x 80 cm | | |
| Upgrades | | | |
| Grill Upgrades/Downgrades within the same size kitchen structure | XL Wood #66040 Large Gas #66124 XL Gas #66140 | | |
| Base Upgrade Options | Stucco Rock #12397 Rock/Gres #33006 | | |
| Upgrade from Tile Top To Solid Gres Coverlam | #43010 | | |
| Fridge upgrades | #13700CE / #13100CE / #17400CE / #17900CE | | |
| Add SS Lining with middle shelf for Horizontal Access Door | #89972 | | |
| Upgradeable Doors | Double Door #33568 Door/Drawer Combo #258 Trash/Door Combo #6578 | | |
| Add SS Lining with adjustable shelf for above Doors | Double Door Lining #74000 Combo Lining #89973 | | |
| Add Drawers (#09970 can only fit above the Access Door) | Single Drawer #09970 Double Drawer #56985 Gas Drawer #56825 | | |
| Optional | | | |
| Grill Frame optional | × | | |
| Side Burner optional | #60008/9CE | | |
| Bar Caddy optional (if fridge or sink are removed) | × | | |
| Cutting Board optional #66007 | × | | |
| Bottle Opener optional #66006 | ✓ | | |
| Large vertical side door | #89978 | | |
| Warranty Details | | | |
| Island Structure | 2 years | | |
| Kitchen Top | 2 years | | |
| Gas Hose | *2 years | | |
| *As per international Gas Safety Regulations | *must replace every 2 years | | |
| Packing Dimensions | , | | |
| | 000 | | |
| Wooden Crate Length | 260 cm | | |
| Wooden Crate Width | 90 cm | | |
| Wooden Crate Height | 202 cm | | |
| Wooden Crate Cube | 5.25 m³ | | |

PIZZA - Q ISLAND

The new Pizza Q Outdoor Island Kitchen is built for the ultimate pizza party. Our new wood-fired oven is built in Italy with solid welded construction, steel & electro galvanized steel. This pre-assembled oven sits in a very functional structure that has seating at both ends of the of the bar.







IMAGE DISPLAYED CONTAINS UPGRADED FEAUTURES

63





SQUARE LOW FIRE TABLE



2M LOW FIRE TABLE

STANDARD FEATURES

Grill Type as Standard.

Stucco Base Standard.

Single Tone or 2-Tone.

Horizontal Access Door #89970

Power outlet & Switch.

Base Footprint Size.

UPGRADES

kichen structure

Upgrade Base Options

middle shelf for #89970

Upgradeable Doors

Upgradeable Drawers

OPTIONALS

Grill Frame optional.

Side Burner optional.

Fridge optional.

Bar Caddy optional.
Cutting Board optional.

insertion from SIDE.

Island Structure.

Wooden Crate Length.

Wooden Crate Width.

Wooden Crate Height.

Complete Crated Weight.

Wooden Crate Cube

Kitchen Top.

Bottle Opener optional #66006.

WARRANTY DETAILS

PACKING DIMENSIONS

Large vertical door option for gas bottle

shelf for Above.

Standard Fridge #11002.

Rock / Gres Base Standard.

Tile Top 30cm x 30cm with Bullnose

STRUCTURE DIMENSIONS

Caddy Upgrades within the same size

Upgrade from Tile Top To Solid Gres

Upgrade S/Steel Lining with middle

Coverlam and Stainless Steel Bullnose.
Upgrade Stainless Steel Lining with

#31032

#85624

192 x 85 cm

213 x 93 cm

#97623

Stucco Rock #12397 Base tile Trim Upgrade #12406

#43010

#89972

Double Doors #33568

Dr/Drw Combo #25876 Trash/Door Combo #65785

> Double Doors #74000 Combos #89973

Single Drawer #09970

#13700CE / #13100CE / #17400CE / #17900CE

2 years

2 years

250 cm

110 cm

190 cm

5.23 m³


Stucco 400 Kg

Rock 650 Kg


#31031

Bar Center


Top Size.



3M LOW FIRE TABLE




DECAGON BAR FIRE TABLE



ENTERTAINERS - BAR

The Entertainer's Bar is a wonderful choice for those looking to have guests over for cocktails. This bar also includes plenty of counterspace for appetizers or whatever you choose to serve your guests.








IMAGE DISPLAYED CONTAINS UPGRADED FEAUTURES





#31048

#85624

126 x 65 cm

188 x 99 cm

#97623

Stucco Rock #12397/ Base

tile Trim Upgrade #12406

#43010

#89972

#89975

#98552

Vertical Door #89973

#13700CE / #13100CE /

#17400CE / #17900CE

2 years

200 cm

120 cm 1.8 cm

4.32 m3 Stucco 330 Kg

Rock 400 Kg

STANDARD FEATURES

Grill Type as Standard.

Stucco Base Standard.

Single Tone or 2-Tone. Horizontal Access Door #89970

Power outlet & Switch.

Base Footprint Size.

Bar Centre

Top Size.

UPGRADES

kichen structure

Upgrade Base Options

middle shelf for #89970

Upgradeable Doors

shelf for Above. Upgradeable Drawers

OPTIONALS

Fridge optional.

Grill Frame optional. Side Burner optional.

Bar Caddy optional.

No linings possible on face

Island Structure.

Kitchen Top.

Cutting Board optional.

Bottle Opener optional #66006.

Large vertical door option for gas bottle insertion from SIDE.

WARRANTY DETAILS

PACKING DIMENSIONS

Wooden Crate Length.

Wooden Crate Width

Wooden Crate Height. Wooden Crate Cube.

Complete Crated Weight.

Upgrade from Tile Top To Solid Gres Coverlam and Stainless Steel Bullnos

Upgrade Stainless Steel Lining with

Upgrade S/Steel Lining with middle

Single Drawer #09970 can only fit with #89970 when under a Bar Centre

Standard Fridge #11002.

Rock / Gres Base Standard.

Tile Top 30cm x 30cm with Bullnose

STRUCTURE DIMENSIONS

Caddy Upgrades within the same size


#31047

ARGON

POWER - BAR

The Power Bar - Outdoor Island is a great place to gather around with friends and family for refreshments. This Island comfortably seats 4 adults. The 458mm Bar Centre is the perfect place to chill your favourite drinks and condiments.







STANDARD FINISHES

STUCCO BASE









CREAM


BLUE GRAY

ASPIN

MESA TAN

PORCELAIN TILE TOP

ABADIA









AB COTTO

AB PAJA

AR MARANGO


AR PERLA

BOULEVARD









BV REFORMA

BV GRACIA

BV PAULISTA

BV ANDRASSY

HOMESTEAD









HS NOCE

HS BEIGE

HS CREAM

^{**} Due to potential colour differences among computer monitors & printers we cannot guarantee that the colour you see on page is an exact colour reproduction of finished product. Colours may also vary between product lot numbers.



984mm

BASE FINISH UPGRADES

STUCCO ROCK







CHAMPAGNE GREY



RIVER ROCK



STONY CREEK

ROCK



GREY STONE



GOLDEN HARVEST



MESA WHITE

** Due to potential colour differences among computer monitors & printers we cannot guarantee that the colour you see on page is an exact colour reproduction of finished product. Colours may also vary between product lot numbers.

GRES FINISHES

BASIC



BASIC BLACK



BASIC TABACO



BASIC TAUPE



BASIC MARFIL

INDUSTRIAL



OXIDO NEGRO



MOMA ANTRACITA



MOMA GRIS



DISTRITO MARFIL


WOOD



IRATI CASTANO



IRATI FRESNO



IRATI ARCE

MARBLE







CORALINA BLANCO ESTATUARIO WHITE SUPREMO PULIDO

^{**} Due to potential colour differences among computer monitors & printers we cannot guarantee that the colour you see on page is an exact colour reproduction of finished product. Colours may also vary between product lot numbers.















REPAIR & CLEANING TOOLS

Catch the grease from the food you cook on your grills using our Grease Tray Liner's.

Easy to install and replace.

| 60 cm Grill (| #24267 | | | |
|---|----------|-----------|-----------|--------|
| Pack of 3, fits Steer and Plancha Grill. | | | | |
| Disposable and easy to install, (Size 41 x 38cm). | | | | |
| CTN Length 0.46 Mts CTN Height 0.90 Mts | | | | |
| CTN Width | 0.48 Mts | CTN Weigh | t 6.50 Kg | 48 Pcs |

| 76cm Grill Grease Tray Liner | | | #24255 | |
|--|----------|-----------|-----------|--------|
| Pack of 12, fits all 76cm BULL Gas Grills. | | | | |
| Outlaw Grills. Disposable and easy to install, (Size 53 x 39cm). | | | | |
| CTN Length 0.58 Mts CTN Height 0.12 Mts | | | | |
| CTN Width | 0.48 Mts | CTN Weigh | t 1.81 Kg | 12 Pcs |

| 97cm Grill Grease Tray Liner | | | 24256 | | |
|---|----------|------------|----------------|--|--|
| Pack of 12, fits all 97cm BULL Gas Grills. | | | | | |
| Disposable and easy to install, (Size 72 x 39cm). | | | | | |
| CTN Length 0.75 Mts CTN Height 0.15 Mts | | | | | |
| CTN Width | 0.45 Mts | CTN Weight | 2.27 Kg 12 Pcs | | |







With the Bull Grill Care Kit, keep your Grills and Outdoor Kitchens shiny, clean and new looking. The Grill Care Kit provides you with three Degreasers and one Grill Polish.

84

| Grill Care Kit | | | #69026CE | | |
|--|---------|------------|----------|-----|--|
| Pack of 4 (3x Degreaser + 1x Grill Polish) | | | | | |
| 750ml Stainless Steel Cleaner and 750ml Stainless Steel Polish | | | | | |
| CTN Length 0.23 Mts CTN Height 0.3 Mts | | | | | |
| CTN Width | 0.1 Mts | CTN Weight | 3.5 Kg | Pcs | |



REPAIR & CLEANING TOOLS

The Bull Care and Maintanance Tool Box comes complete with a Stainless Steel Polish, Stainless Steel Cleaner, Microfiber Cloth, Scour and Cleaning Gloves.

| Care & Maintenance Tool Box | | | 69025CE | E |
|---|---|------------|---------|----------|
| SS Polish, SS C | SS Polish, SS Cleaner, Microfibre Cloth, Scour and Gloves | | | |
| Comes included with every Bull Outdoor Kitchen. | | | | |
| CTN Length | 0.6 Mts | CTN Height | 0.25 | Mts |
| CTN Width | 0.46 Mts | CTN Weight | 3.5 Kg | Pcs |



TOOL SETS

| Grill Master Utility Set | | | #24397 | |
|---|----------|-----------|-----------|-------|
| Chopping board, SS knife, Digital Thermometre and Glove. | | | | |
| This set makes the perfect gift for the griller in your life. | | | | |
| CTN Length | 0.3 Mts | CTN Heigh | nt 0.42 | Mts |
| CTN Width | 0.07 Mts | CTN Weigh | 1t 2.5 Kg | 1 Pcs |



| _ | | | | | |
|---|------------------------------|----------------|----------------|------------|---------|
| | Professiona | al Pizza To | ols Kit | #66035 | |
| | Turning Peel, As | sh Shovel, Bra | ss Bristle Bru | ısh, Ember | Remover |
| | and Scraper. Stand Included. | | | | |
| | CTN Length | 1.40 Mts | CTN Heigh | t 0.40 | Mts |
| | CTN Width | 0.40 Mts | CTN Weigh | 15 Kg | 1 Pcs |





PROMOTIONAL ITEMS

| 592ml. ReliaBull Tumbler | | | # 12 | 000 |
|--|--|---------------|-------------------|-------|
| Stainless steel tui | Stainless steel tumbler, Vacuum Insulated to | | nnology, ke | eps |
| beverages hot or cold for an extremely lon | | ktremely long | g amount of time. | |
| CTN Length | 0.20 Mts | CTN Height | 0.18 | Mts |
| CTN Width | 0.02 Mts | CTN Weight | 1.50 Kg | 4 Pcs |

| 887ml. ReliaBull Tumbler | | | # 12 | 001 |
|---|-------------------------------|------------|------------|-------|
| XL Stainless steel tumbler, Vacuum Insulate | | | echnology, | keeps |
| beverages hot or cold for an extremely lor | | | amount of | time. |
| CTN Length | CTN Length 0.22 Mts CTN Heigh | | 0.21 | Mts |
| CTN Width | 0.22 Mts | CTN Weight | 2.00 Kg | 4 Pcs |





| Neoprene Bottle Koozies | #27001 / #27002 | |
|---|-----------------|--|
| Keep your bottled drinks cool while you cook. | | |
| Available in red #27001 or black #27002. | | |

| Neoprene Can Koozies | # 27003 / #27004 | |
|--|------------------|--|
| Keep your canned drinks cool while you cook. | | |
| Available in red #27003 or black #27004. | | |









